Modified sitting grinder reduces complaints of musculoskeletal disorders, workload, and increases work productivity of blacksmiths in Tabanan Regency, Bali-Indonesia

by Ida Ayu Made Sri Arjani

**Submission date:** 06-Jan-2023 01:56PM (UTC+0700)

**Submission ID:** 1989113605 **File name:** 3.pdf (309.43K)

Word count: 4099

Character count: 22094

Indonesia Journal of Biomedical Science (*IJBS*) 2022, Volume 16, Number 2: 97-101 P-ISSN.2085-4773, E-ISSN.2302-2906



# Modified sitting grinder reduces complaints of musculoskeletal disorders, workload, and increases work productivity of blacksmiths in Tabanan Regency, Bali-Indonesia



Ida Ayu Made Sri Arjani<sup>1</sup>\*, Cok Dewi Widhya Hana Sundari<sup>1</sup>, Nyomam Mastra<sup>1</sup>, I Made Bulda Mahayana<sup>1</sup>, I Gusti Ayu Made Aryasih<sup>1</sup>, Ni Made Marwati<sup>1</sup>, I Gusti Agung Ayu Putu Swastini<sup>1</sup>

# 13 Polytechnic of Health Denpasar, Bali,

**ABSTRACT** 

Background: Blacksmith is one of the small industries that is developing in Gubug Village, Tabanan Regency. One of the processes in manufacturing household utensils in the form of small knives, large knives, sickles, and machetes will be faced with a grinder. In this process, the worker holds a vibrating grinder weighing more than 1.5 kg. Working with heavy loads and being exposed to vibration for a long time is an additional burden that will cause musc a skeletal complaints, as well as diseases such as Raynaud's Syndrome, Tenosynovitis, and Carpal Tunnel Syndrome in workers. This study aimed to determine the effect of Sitting Grinding Modification on Reducing Complaints of Musculoskeletal Disorders (MSDs), Workload, and Increasing Work adductivity of Blacksmiths in Gubug Tabanan Village.

Methods: This research is a people from 10 industries. Sample selection by simple random sampling with a table of random numbers. The minimum number of samples was calculated using the Colton formula to determine the sample size to be 16 people. Data processing and analysis: Descriptive test for subject condition data includes age, weight, height, and body mass index. Normality test was performed on the data; a) physical environment includes air temperature, humidity, and noise), b). musculoskeletal complaints; c) workload; and d) work productivity. Difference test for data on musculoskeletal complaints, workload, and work productivity using parametric statistical tests (different test paired samples t-test at significance level = 0.05) in treatment I and treatment II on data that is normally distributed, and if it is not normal, non-parametric statistical tests were performed (Wilcoxon's difference test at \$12 ficance level = 0.05).

Results: The mean age of the subjects was  $39.00\pm8.52$  years, body weight was  $65.31\pm6.7.57$  kg, height was  $164.69\pm4.40$  cm and the body mass index was  $23.94\pm2.05$ . kg/m². There is no difference in air temperature and humidity, there is a decrease in noise of 0.81%. There was a decrease in musculoskeletal complaints by 0.15%, a decrease in workload by 0.19%, an increase in productivity by 1.06%.

**Conclusion:** There is a significant decrease between musculoskeletal complaints, workload and noise before and after the use of the seated grinder (p<0.05), and there is a significant increase between work productivity before and after using modified sitting grinder.

**Keywords:** sitting grinder, musculoskeletal complaints, workload, and work productivity. **Cite this Artide:** Arjani, I.A.M.S., Sundari, C.D.W.H., Mastra, N., Mahayana, I.M.B., Aryasih, I.G.A.M., Marwati, N., Swastini, A.A.P. 2022. Modified sitting grinder reduces complaints of musculoskeletal disorders, workload, and increases work productivity of blacksmiths in Tabanan Regency, Bali-Indonesia. *JBS* 16(2): 97-101. DOI: 10.15562/ijbs.v16i2.425

\*Corresponding to:
Ida Ayu Made Sri Arjani; Polytechnic of
Health Denpa 13 ali, Indonesia;
sri\_arjani62@yahoo.com

Received: 2022-10-12 Accepted: 2022-11-02 Published: 2022-12-10

#### INTRODUCTION

The use of uncontrolled muscle power, continuous activity and a static body position for a long time can cause complaints in the skeletal muscles.¹ Complaint of musculoskeletal disorders (MSDs) are complaints that are felt in the parts of the skeletal muscles, because of

forcing movement and receiving he by loads for a long period of time. The World Health Organization (WHO) states that occupational risks cause the top ten causes the death and illness worldwide. In the Global Estimates of Occupational Accidents and Work-related Illnesses 2017 published by the Workplace Safety and

Health Institute, the number of workers who died from occupational diseases in 2015 was 2.4 million. In 2016-2017, there were around 507,000 workers in the United Kingdom who suffered from illness due to disorders of the musculoskeletal system caused by their work.<sup>3</sup>

The prevalence rate of diagnosed

usculoskeletal disease is 24.7% where one of the factors that influence the incidence of musculoskeletal complaints is work attitude.4 There is a relationship between workload and musculoskeletal complaints in workers in the Candi Industrial Area of Semarang City with a p-value of 0.003 > 0.05 and the test 16 ults are stated to be significant.5 Based on data from the 14 ternational Labor Organization, one worker in the world dies every 15 seconds due to work accidents and 160 workers experience work-related illnesses. The International Labor Organization (ILO) records 54 number of deaths from accidents and occupational diseases as many as 2 million cases yearly.6 This incident resulted in the world experiencing losses equivalent to 1.25 trillion dollars or 4% of world Global National Product (GNP).7

Blacksmith is one of the small industries that is growing in the village of Gubug, Tabanan Regency. These blacksmith craftsmen have been in the job for quite a long time and are hereditary from their ancestors. They accept the inheritance as it is and engage in this work as the responsibility of their ancestors. One of the processes in the manufacture of household utensils in the form of small knives, large knives, sickles, and machetes they are faced with a tool in the form of a grinder to smooth and sharpen the knife. In this process, the worker holds a vibrating grinder, weighing more than 1.5 kg with one hand and the other holding the knife to be grinded. Working with hands exposed to vibration for a long time is a burden that will cause musculoskeletal complaints and diseases for workers such as hand-arm vibration syndrome, Raynaud's syndrome, tenosynovitis, and carpal tunnel syndrome.8

In high-risk work on the wrist, the prevalence of carpal tunnel syndrome is between 5.6% and 15%. Musculoskeletal complaints found include tingling and pain in the fingers, reduced grip strength, difficulty holding small objects. There are disorders 20 lood vessels, disorders of the nerves caused by compression of the median nerve that passes through the carpal tunnel, these nerve disorders related to work that has repeated exposure to vibration in the long term. 3,9,10

After conducting limited interviews with seven workers, alternating and stiffness in the hands, wrist pain, pain in the right arm, elbow, waist, back and neck. Working with heavy grinding tools and being exposed to vibrations for more than an hour has an impact on workers' health. Based on this, the researchers raised the above problems by using a modified sitting grinder to reduce complaints of musculoskeletal disorders (MSDs), workload and increase work productivity of blacksmiths in Gubug Tabanan Village.

# MATERIALS AND METHODS

This research is an experimental research with treatment by subject design.12 The total population is 40 people from 10 industries. Sample selection by simple random sampling with a table of random numbers. The minimum number of samples was calculated using the Colton formula to determine the sample size to be 16 people. The sample inclusion criteria included: blacksmith workers living in the village of Gubug Tabanan aged 20-60 years, physically healthy with a doctor's examination, at least one year of work experience, and willing to be research subjects. While the exclusion criteria were not present during the study, suffering from illness during the study, for certain reasons withdrew from the sample. Data processing and analysis: Descriptive test for subject condition data includes age, weight, height, and body mass index. A normality test was performed on the data; a) physical environmental conditions including air temperature,

humidity and noise, b) musculoskeletal complaints; c) workload data; and d) work productivity data. Difference test for data on musculoskeletal complaints, workload, and work productivity using parametric statistical tests (different test paired samples t-test at significance level = 0.05) in treatment I and treatment II on data that is normally distributed, and if not normal, non-parametric statistical tests were performed (Wilcoxon's difference test at significance level = 0.05).

# **RESULTS**

# Study participant

The research subjects were 16 blacksmith workers who lived in the village of Gubug Tabanan. The conditions of the subjects recorded in this study were age, weight, height, and body mass index (BMI). A descriptive analysis of the condition of the subject is presented in **Table 1**.

#### **Physical Environment**

In this study, the environmental conditions measured were air temperature, humidity, and noise. Descriptive analysis and normality test of environmental condition are presented in Table 2. There was no significant difference in environmental conditions before and after intervention

# Musculoskeletal complaints

Musculoskeletal complaints data were obtained using a Nordic Body Map questionnaire with direct interviews with workers. **Table 3** shows the analysis of the paired sample-t-test difference test on pretreatment and post-treatment before work, there is a significant difference p<0.001,

Table 1. Descriptive characteristics of study participant

		•	
Characteristics	Mean±SB	Min	Max
Age (years)	39.00±8.52	28	55
Height (cm)	164.69±4.40	160	170
Weight (kg)	65.31±7.57	55	80
Body mass index (kg/m²)	23.94±2.048	21	28

Table 2. Physical environment data difference test results in pre-treatment and post-treatment

Environment	Pre-intervention	Post-intervention	t	р
Room temperature (°C)	26.00±1.10	25.50±0.95	0.333	0.795
Humidity (%)	83.50±2.21	81.50±2.06	0.667	0.626
Noise level (dB)	63.50±0.70	51.50±0.55	1.091	0.472

indicating that the initial conditions in the pre-treatment and post-treatment are different. analysis of pre-treatment and post-treatment after work there is a significant difference where the p<0.001.

Table 3.

Muscul
con
Befo

#### Workload

The workload was assessed by measuring the pulse before and after working on the pre and post-treatment. Paired sample T-test analysis of workload data on Pre and Post-treatment before work, there is no significant difference because the p=0.860. This shows that there is no difference in the initial conditions in the pre-treatment and post-treatment or it can be interpreted that the initial conditions of the two periods are the same or comparable. Analysis on Pre-treatment and post-treatment after work found a significant difference because the p<0.001 (Table 4).

The average plate produced in the pre and post-treatments increased by 1.1%, namely 3.50±1.25 to 3.87±1.29 and after calculating the productivity in Treatment I and Treatment II also increased by 1.06 % from 0.045±0.12 to 0.048±0.14. There was a significant difference in work productivity regarding plate production before and after intervention (Table 5).

# DISCUSSION

## Complaints of Musculoskeletal Disorders

A Nordic Body Map questionnaire containing 28 question items measured the subject's musculoskeletal complaints. The study found a decrease in complaints after an improvement of 0.15%. The analysis of the difference test on Pre-Treat pent and Post Treatment after work found that there was a significant difference (p <0.05). Thus, the improvement by modifying the sitting wheel influences complaints. 11-14

Musculoskeletal complain complaints or disturbances felt by a person ranging from mild complaints to feeling very sick in the skeletal muscles which include the joints, nerves, muscles, and spine due to unnatural work. If the muscles are disturbed, the activities of doing daily work can be disrupted, because muscle strength is one of the most important parts of the body's organs to be able to move. In this study, it was found that there was a decrease in complaints among workers

Table 3. Results of different tests of musculoskeletal complaints data on pretreatment and post-treatment before and after work

Musculoskeletal complain	Pre Intervention	Post- Intervention	t	р
Before work	$2.83 \pm 1.87$	1.23±1.74	58.014	< 0.001
After work	1.26±2.09	1.13±1.34	6.325	< 0.001

Table 4. Workload Data Difference Test Results on Pre I, II and Post I, II
Treatment Before and After Work

Workload	Pre Intervention	Post Intervention	t	p
Before work	79.69±1.70	$99.81\pm1.40$	0.180	0.860
After work	$79.63 \pm 3.70$	86.94±2.15	10.853	0.000

Table 5. Productivity data difference test results on pre and post treatments

Workload	Pre intervention	Post Intervention	t	р
Plate production in one hour	-7.18±1.25	-5.87±1.29	-3	< 0.001
Productivity in one hour	-0.375±0.12	-0.037±0.14	-3	< 0.009

who used a seated grinder by 13.23%. This study's results align with other studies that state that improving ergonomicsbased work systems can reduce worker complaints. Research that explains that work is in a static posture on the lower body and experiences repetitive movements in the hands. When in a static position, the body will experience a blockage of blood flow, resulting in a lack of oxygen and glucose from the blood in that section. In addition, the body will produce lactic acid which can cause pain. 15,16 Muscles cannot work naturally if a person works with an unnatural posture, this causes the muscles to require more strength to carry out their duties, thus triggering fatigue and tension in the muscles and tendons. Improvements in work attitudes reduce musculoskeletal complaints by 34.6%, research in the form of improving the work system and work environment reduces worker fatigue by 22.09%, research in the form of improving ergonomics-based workstations reduces worker fatigue by 18.84%, and research in the form of improving ergonomicsbased work aids reduces worker fatigue by 30.31%.17-21 The higher the assessment of work attitudes, the higher the perceived musculoskeletal complaints.

In grinding, workers are faced with repetitive movements of the hands by carrying a hammer that is quite heavy, so that the load on the right hand is more dominant. When the grinding wheel rotates and hits the steel plate, vibrations arise and propagate from the tool to the hand or wrist even though the vibration is not felt directly by the worker. <sup>22</sup> The vibrations that are felt continuously while working will accumulate the vibration syndrome, which is a disease caused by exposure to vibrations in the hands. Exposure to hand-arm vibrations, prolonged work with flexed wrists, and high repetition are also associated with CTS.

#### Workload

The workload is an important factor in assessing a job's lightness or severity, including grinding work. The workload given to workers must be adjusted to their physical and psychological abilities so that they do not affect the health conditions of the workers.22 To reduce workers' workload, it can be done by planning and/ or designing a tool that can minimize complaints due to an inappropriate workload.23 The workload can be predicted from the frequency of the worker's pulse because the pulse is one of the indicators that can be used to determine a person's workload level. The study found a decrease in workload after an improvement of 0.19%. Different test analyses on Pre-Treatment and Post Treatment after work found a significant difference (p<0.05).

The decrease in workload in the Pre and Post-treatment is predicted due to the decrease in external stress in the work environment. One of the effects of external stress conditions is an increase in pulse rate. In this study, after external stress can be overcome by making improvements in the form of a seated grinding.24 There is an efficiency of energy use so that it can reduce the workload as measured by the work pulse. Some similar research results also found a decrease in workload of 18.3 in the redesign of the work stove, a decrease in workload of 21.43% in the modification of Tri Hita Karana-based ergonomics for rice mill workers, a decrease in workload of 15.3% in dodol industry workers in Bali, and a decrease in workload of 3.41% for steamed bad industry workers in Denpasar.<sup>25-28</sup> The results of this study are in accordance with the theory which states that an increase will also follow an increase in workload in musculoskeletal complaints.

#### **Work Productivity**

The final impact of improving working conditions is increased productivity and income for crafters and entrepreneurs. The increase in productivity in this study was seen from the increasing number of metal plates that workers successfully forged in one working hour by 30.85%, namely 3.50±1.25 to 3.87±1.29. By calculating output divided by input per unit of time, worker productivity also increased by 1.06%, from 0.045±0.01 to 0.048±0.01. The analysis of the different assignificant difference (p<0.05).

Increased productivity through the number of plates produced will have an impact on increasing the number of knives produced by workers so that it will increase their income. In addition to an increase in income, this improvement will reduce the risk of workers contracting occupational diseases.<sup>15</sup>

Several similar research results also found that improvements with an ergonomic approach can increase productivity. The increase in productivity obtained was due to an improvement in physiological response, faster processing time, and increased production. The increase in productivity was obtained by 36.96% in the improvement of the work system, in the ergonomic application of the total pottery industry workers in Bantul by 30, the intervention by stretching and giving sweet tea to the tailor was also reported to increase worker productivity by 66.67%, an increase in productivity of 54.95% using a solar dryer with a Techno-Ergonomic approach in making traditional cake (dodol) in Singaraja, Bali, Indonesia, and an increase in productivity of 1.06% by using a sitting grinder in Tabanan Regency.<sup>29-31</sup> Understanding how musculoskeletal function and its symptoms impact workload and productivity, and by regularly assessing functional and activity limitations, recommending ergonomic adjustments in this study by providing sitting grinders to blacksmith workers is a strategy to maximize the functional ability and quality of life of workers.

#### CONCLUSIONS

The conclusion in this study is that there is a significant decrease between musculoskeletal complaints, workload, and noise before and after the use of a seated grinder (p<0.05), and there is a significant increase in work productivity before and after modifying a sitting grinder.

# CONFLICT OF INTEREST

All author declares there is no conflict of interest regarding publication of current study.

#### **FUNDING**

None.

## **AUTHOR CONTRIBUTION**

All author had contributed to manuscript writing and agreed for final version of the manuscript for publication.

# **ETHICAL CONSIDERATION**

This study has been approved by Ethical Committee Health Polytechnics with Ethical Clearance reference number LB.02.03/EA/KEPK/0596/2022.

#### **REFERENCES**

- Suma'mur PK. Work safety and prevention of accidental work injury. Jakarta: CV Haji Masagung; 2013.
- Tarwaka. Industrial Ergonomics, Fundamentals of Ergonomic Knowledge and Workplace plications. Surakarta: Harapan Press; 2015.
- Indonesian Ministry of Health. Ministry of Health Decree on 26 dard of Work Safety And Health In Office. Jakarta: Indonesian Ministry of Health; 2
- Indonesian Ministry of Health. Basic Health Research. Jakarta: Publication Division Ministry of Health; 2013.
- Rafeemanesh Shirzadeh T. A study on musculoskeletal complaints and working postures in pathology specialists in Iran. BMC Musculoskelet Disord. 2021;22(1):1012.
- International Labor Organization. Health and Safety in Work Place for Productivity. Geneva: International Labour Office: 2013
- 7. International Labour Office; 2013
  7. Indonesian Ministry of Health. Regulation of the Minister of Health of the Republic of Indonesia Number 41 of 2014 concerning Guidelines for Balanced Nutrition. Jakarta:

  11 lication Division Ministry of Health; 2014.
- Newington L, Harris EC, Walker-Bone K. Carpal tunnel syndrome and work. Best Pract 22 Clin Rheumatol. 2015;29(3):440-53.
- Brocal F, Sánchez A González C, Fuentes JL, Sebastián MA. Proposed methodology for the study of the level of emerging risk from exposure to hand-arm vibrations in manufacturing environments. Procedia Manuf. 317;13:1373-80.
- Vihlborg P, Bryngelsson I-L, Lindgren B, Gunnarsson LG, Graff P. Association between vibration exposure and hand-arm vibration symptoms in a Swedish mechanical industry. Int J Ind Ergon. 3 7;62:77–81.
- Nurhikmah. Factors Associated with Musculoskeletal Disorders (MSDs) in Furniture Workers in Benda District, Tangerang City. Jakarta: Universitas Islam Negeri; 2011.
- Nasir M. Research Metodelogy. Jakarta: Ghalia Indonesia: 2013.
- Almatsier S. Basic Principle of Nutrition.
   arta: Gramedia Pustaka Utama; 2009.
- Manuaba A. A total approach in ergonomics is a must to attain humane, competitive and sustainable work systems and products. J Hum Ergol (Tokyo). 2007;36(2):23-30.
- Ulfah N, Harwanti S, Nurcahyo PJ. Work Attitudes and Risk of Musculoskeletal Disorders in Laundry Workers. National Journal of Public Health; 2014;8(7):1-9.
- Andreani M, Paskarini I. Work Attitudes Associated with Subjective Complaints on Tailors on Jalan Patua Surabaya. Health Promotion Journal. 2013;1(2):207-212.
- Arjani IAMS, Ariati NN, Sundari CDWH, Dhyanaputri IGAS. Improving Ergonomic Work Attitudes Reducing of Musculoskeletal Disorders, Workload and Increasing Work Productivity of Pande Besi in Gubug Village Tabanan, BaliIndonesia. Eastern Journal

- of Agricultural and Biological Sciences. 2021;1(1):1-6.
- 18. Santosa IG. Improving Working Conditions and the Environment with Ergonomic Interventions Improving Product Performance and Quality in Dodol Craftsmen in Penglatan Village, Buleleng [Disertation]. Denpasar: Post Graduate Program in Ergonomy Universitas Udayana; 2012.
- Setiawan H. Ergonomic-Based Wet Blanket Work Station Design Improves Quality of Life and Productivity of Workers at PT Sunan Rubber Palembang, South Sumatra Province. [Disertation]. Denpasar: Post Graduate Program in Ergonomy Universitas Udayana; 2013.
- Yusuf M. The Design of Plastic Mulch Hole Maker and Work System With Ergonomic Intervention Increase Productivity and Income of The Farmers in Bedugul Bali [Executive Summary Disertation]. Denpasar: Post Graduate Program in Ergonomy Universitas Udavana: 2016.
- Diana RS. The Relationship between Standing Work Attitude and Musculoskeletal Complaints in Weaving Section Workers at PT. Delta Marlin Textile World Kebakkramat Karanganyar. Surakarta: Faculty of Medicine Universitas Sebelas Maret: 2012.

- Lal A, Sahu KK, Mishra AK. Workplace Safety: Both Physical and Emotional. Acta Biomed. 17, 92(2):e2021048.
- Brief AP, Weiss HM. Organizational behavior: affect in the workplace. Annu Rev Psychol. 5 )2;53:279-307.
- Setyowati D, Shaluhiyah Z, Widjasena B. Causes of Work Fatigue in Furniture Workers. National Public Health Journal. 2014;8(8):386-392.
- Arjani IAMS, Ariati NN, Sundari DWH. Furnace Redesign to Reduce Levels of Dust in the Air, Fatigue, Workload, and Increasing Blacksmith Productivity in Batu Sangiang Village, Tabanan, Bali-Indonesia. Journal of Global Pharma Technology. 2019;11(8):21-27.
- Ruli 10 P. Adiputra N, Sutjana DP, Sutajaya IM. Modification of Working Condition Based of Ergo THK Reducing Workload, Muscle Tension, and Fatigue of Rice Milling Workers in J Village. In AIP Conference Proceedings; 2017.
- Santosa IG, Yusuf M. The Application of a Drayer Solar Energy Hybrid to Decrease Torkload and Increase Dodol Production in Bali. International Research Journal of Engineering, IT & Scientific Research; 2017;3:95-101.
- Dinata IMK. Pouring Tools Based on Total Ergonomic Approach Improve Physiological Responses and Increase Worker Productivity

- on Steamed Sponge Cake Industry in Denpasar.

  iversitas Udayana; 2018.
- Purnomo H, Manuaba A, Adiputra N. A work system with a total ergonomic approach reduces musculoskeletal complaints, fatigue and workload and increases the productivity of pottery industry workers in Kasongan, Bantul. Journal of Biology Medicine and Biochemistry. 2012;3(1):22-29.
- Rusni NW, Tirtayasa K, Muliarta IM. Workplace Streching Exerise and Giving Sweet Tea Improve Physiological Response and Increase The Productivity among Tailors in PT Fussion Hawai. Journal Ergonomi Indonesia (The Indonesian Journal of Ergonomics). 2017;3:1-
- 31. Santosa IG, Sutarna I. 2018. Use of Solar Energy Hybrid Drayer with Techno Ergonomic Application to Increase Productivity of Dodol Workers in Buleleng Bali. Journal of Physics: Conference Series. 2017;953:012-087.



This work is licensed under a Creative Commons Attribution

Modified sitting grinder reduces complaints of musculoskeletal disorders, workload, and increases work productivity of blacksmiths in Tabanan Regency, Bali-Indonesia

<b>ORIGINAL</b>	LITY R	<b>EPORT</b>
-----------------	--------	--------------

13% SIMILARITY INDEX

%
INTERNET SOURCES

13%

%

PUBLICATIONS STUDENT PAPERS

## **PRIMARY SOURCES**

I K G J Suarbawa, M Arsawan, M Yusuf, I M Anom Santiana. "Improvement of environment and work posture through ergonomic approach to increase productivity of balinese kepeng coin workers in Kamasan village Klungkung Bali", Journal of Physics: Conference Series, 2018

1 %

Publication

"1st Annual Conference of Midwifery", Walter de Gruyter GmbH, 2020

1 %

**Publication** 

Koppiahraj Karuppiah, Bathrinath Sankaranarayanan, Syed Mithun Ali, Golam Kabir. "Role of Ergonomic Factors Affecting Production of Leather Garment-Based SMEs of India: Implications for Social Sustainability", Symmetry, 2020

%

4	"The Effect of Participatory Ergonomic on Fatigue Disorders of Workers in PT. Industri Kapal Indonesia (Persero)", Open Access Macedonian Journal of Medical Sciences, 2022 Publication	1 %
5	Siti Rachmawati, Miftaqul Aktsari, Anis Suryaningsih, Hashfi Hawali Abdul Matin, Iwan Suryadi. "Assesment Work Fatigue To Workers In Environment Underground Mining Areas Based On Fatigue Assesment Scale Questionnaires", E3S Web of Conferences, 2020 Publication	<b>1</b> %
6	María Luisa Cantonnet, Juan Carlos Aldasoro, Jon Iradi. "New and emerging risks management in small and medium-sized Spanish enterprises", Safety Science, 2019 Publication	1 %
7	NURUL SALASA NILAWATI, IKEU TANZIHA, DADANG SUKANDAR, ENY PALUPI. "Staple Food Diversity From Palembang, Indonesia", Research Square Platform LLC, 2022	1 %
8	E. Veeramanipriya, AR. Umayal Sundari. "Performance evaluation of hybrid	1 %

photovoltaic thermal (PVT) solar dryer for

drying of cassava", Solar Energy, 2021

9

Margherita Micheletti Cremasco, Ambra Giustetto, Federica Caffaro, Andrea Colantoni, Eugenio Cavallo, Stefano Grigolato. "Risk Assessment for Musculoskeletal Disorders in Forestry: A Comparison between RULA and REBA in the Manual Feeding of a Wood-Chipper", International Journal of Environmental Research and Public Health, 2019

1%

Publication

10

I M Sutajaya, W Sukra Warpala, I M Oka Riawan, N P Sri Ratna Dewi. "Implementation of Tri Hita Karana with Socio-Cultural Ergonomic Oriented on the Kecak Dance Performance to Improve Community Health and Supporting Cultural Tourism in Peliatan Ubud Gianyar", Journal of Physics: Conference Series, 2020

1 %

Publication

11

Gladson Ricardo Flor Bertolini, Camila Mayumi Martin Kakihata, Ana Luiza Peretti, Giovanni Ribeiro Bernardino et al. "Effects of the platelet-rich fibrin associated with physical exercise in a model of median nerve compression.", Motriz: Revista de Educação Física, 2018

%

Ehsan Rafeemanesh, Alireza Khoee, Shabnam Niroumand, Tina Shirzadeh. "A Study on musculoskeletal complaints and working postures in pathology specialists in Iran", Research Square, 2020

<1%

Publication

14

I Gusti Agung Ayu Dharmawati, Nur Habibah, I Gusti Agung Ayu Putu Swastini, Heri Setiyo Bekti. "Antibacterial Potential of Spondias pinnata (L.f) kurz Leaf Ethanol Extract against Streptococcus mutans Bacterial Growth", Biomedical and Pharmacology Journal, 2022

<1%

Nur Ani. "Study On Application Of Safety and Health Management System Based On SMK3 PP NO. 50, 2012 at PT. BITE, Bandung, West Java", STRADA Jurnal Ilmiah Kesehatan, 2020

<1%

Ni Made Dewantari, I Wayan Ambartana, I
Putu Suiraoka, GA Dewi Kusumayanti et al.
"The Effects Of A Low-Fat Diet And A LowCarbohydrate Diet With Aerobic Exercise On
Changing Of Lipid Profile", World Nutrition
Journal, 2020

<1%

Publication

Publication

Ruri Firmansyah, Sismulyanto Sismulyanto, Nurwijayanti Nurwijayanti. "Analysis of Factors that Affect Employee Work Accidents

<1%

at PT. Windu Blambangan Sejati (WBS) Banyuwangi Regency 2018", Journal for Quality in Public Health, 2020

Publication

David B. Waisel. "Developing Social Capital in the Operating Room", Anesthesiology, 12/2005

<1%

Publication

Finn Gjertsen, Johan Lund, Ebba Wergeland.
"Accuracy of fatal occupational injury registration in a high-income country: A comparison of two-source capture-recapture estimates with the number of cases identified in four register systems in Norway, 2000–2003", Global Epidemiology, 2022

<1%

Publication

Ravi Kumar Chittoria, Barath kumar Singh.
"History of liposuction for body contouring",
Cosmoderma, 2022

<1%

Publication

Devrimsel Harika Ertem, Tuba Cerrahoglu Sirin, Ilhan Yilmaz. "Electrophysiological responsiveness and clinical outcomes of local corticosteroid injection in the treatment of carpal tunnel syndrome", Arquivos de Neuro-Psiquiatria, 2019

<1%

- Judith E. Gold, Martin Cherniack, Bryan Buchholz. "Infrared thermography for examination of skin temperature in the dorsal hand of office workers", European Journal of Applied Physiology, 2004
- <1%

F. Brocal, A. Sánchez, C. González, J.L. Fuentes, M.A. Sebastián. "Proposed methodology for the study of the level of emerging risk from exposure to hand-arm vibrations in manufacturing environments", Procedia Manufacturing, 2017

<1%

Publication

Ni Luh Gede Aris Maytadewi Negara, Luh Made Indah Sri Handari Adiputra, I Dewa Putu Sutjana. "ERGONOMIC ORIENTED WORKING METHOD IN THE PROCESS OF WIPING CANS OF SARDINES INCREASED PRODUCTIVITY AND INCOME OF WORKERS PT. BMP NEGARA, BALI", International Journal of Engineering Science Technologies, 2020

<1%

Publication

Rina Puspita Sari, Bela Nofita Amaris Susanto, Eri Komalasari. "The correlation between work shift and level of fatigue among workers", Enfermería Clínica, 2021

<1%

25

Silvia Carra, Luigi Monica, Giuseppe Vignali. "Reduction of workers' hand-arm vibration exposure through optimal machine design: AHP methodology applied to a case study", Safety Science, 2019

<1%

Publication

26

Wiwik Anggraeni, Laras Aristiani. "Using Google Trend data in forecasting number of dengue fever cases with ARIMAX method case study: Surabaya, Indonesia", 2016 International Conference on Information & Communication Technology and Systems (ICTS), 2016

<1%

Publication

Exclude quotes

On

Exclude matches

Off

Exclude bibliography