

DAFTAR PUSTAKA

- Anggeriyane, E., Noorhasanah, E., & Nurhayati, I. (2021). The Effectiveness of The Kangaroo Mother Care for Low Birth Weight Baby in Maintaining Thermoregulation Stabilization: a Case Study. *Jurnal Pendidikan Keperawatan Indonesia*, 7(2), 151–158. <https://doi.org/10.17509/jpki.v7i2.39191>
- Chang, C. Y., Gau, M. L., Huang, C. J., & Cheng, H. M. (2022). Effects of non-pharmacological coping strategies for reducing labor pain: A systematic review and network meta-analysis. *PLoS ONE*, 17(1 January), 1–14. <https://doi.org/10.1371/journal.pone.0261493>
- Chang, M. Y., Wang, S. Y., & Chen, C. H. (2002). Effects of massage on pain and anxiety during labour: A randomized controlled trial in Taiwan. In *Journal of Advanced Nursing* (Vol. 38, Issue 1, pp. 68–73). <https://doi.org/10.1046/j.1365-2648.2002.02147.x>
- Dahlen, H. G., Thornton, C., Downe, S., De Jonge, A., Seijmonsbergen-Schermer, A., Tracy, S., Tracy, M., Bisits, A., & Peters, L. (2021). Intrapartum interventions and outcomes for women and children following induction of labour at term in uncomplicated pregnancies: A 16-year population-based linked data study. *BMJ Open*, 11(6). <https://doi.org/10.1136/bmjopen-2020-047040>
- Farlina, C., Utami, I. T., Handayanti, R., & Pringsewu, Y. (2024). Efektivitas Massase Effleurage Untuk Mengurangi Nyeri Pada Kala 1 Persalinan Primigravida. *Jurnal Kreativitas Pengabdian Kepada Masyarakat (PKM)*, 7(February), 4–6.
- Field, T., Hernandez-Reif, M., Taylor, S., Quintino, O., & Burman, I. (1997). Labor pain is reduced by massage therapy. In *Journal of Psychosomatic Obstetrics and Gynaecology* (Vol. 18, Issue 4, pp. 286–291). <https://doi.org/10.3109/01674829709080701>
- Fitrianingsih, J., Lestari, A., & Triananinsi, N. (2020). The Effect of Effleurage Massage Technique on Pain Changes in PostPartum at Salewangang Regional Public Hospital of Maros. *1st Annual Conference of Midwifery*, 963, 131–137. <https://doi.org/10.2478/9788366675087-016>
- Herinawati, H., Hindriati, T., & Novilda, A. (2019). Pengaruh Effleurage Massage terhadap Nyeri Persalinan Kala I Fase Aktif di Praktik Mandiri Bidan Nuriman Rafida dan Praktik Mandiri Bidan Latifah Kota Jambi Tahun 2019. *Jurnal Ilmiah Universitas Batanghari Jambi*, 19(3), 590. <https://doi.org/10.33087/jiubj.v19i3.764>
- Kamalifard, M., Shahnazi, M., Sayyah Melli, M., Allahverdizadeh, S., Toraby, S., & Ghahvechi, A. (2012). The efficacy of massage therapy and breathing techniques on pain intensity and physiological responses to labor pain. *Journal of Caring Sciences*, 1(2), 73–78. <https://doi.org/10.5681/jcs.2012.011>
- Kavlak, O., Atan, Ş. Ü., Güleç, D., Öztürk, R., & Atay, N. (2012). Pregnant women's use of the internet in relation to their pregnancy in Izmir, Turkey. In *Informatics for Health and Social Care* (Vol. 37, Issue 4, pp. 253–263). <https://doi.org/10.3109/17538157.2012.710686>

- Kemenkes RI. (2023). Profil Kesehatan Indonesia 2022. In *Pusdatin.Kemenkes.Go.Id* (p. Kementrian Kesehatan Republik Indonesia).
- Kordi, M., Fakari, F. R., Khadivzadeh, T., Mazloun, S. R., Akhlaghi, F., & Tara, M. (2015). Effects of web-based training and educational simulation on midwifery students' self-confidence in postpartum hemorrhage management. *Journal of Midwifery and Reproductive Health*, 3(1), 262–268. http://jmrh.mums.ac.ir/article_3247_ae950b28970edc5bffd207082a66337a.pdf
- Mufidah, S., Kusumawardani, L. A., & Fadhilah, S. (2022). Acupressure Titik SP6, LI4 dan BL32 Mengurangi Nyeri Persalinan Kala I Systematic Literature Review. *Jurnal MID-Z (Midwifery Zigot) Jurnal Ilmiah Kebidanan*, 5(1), 29–40. <https://doi.org/10.56013/jurnalmidz.v5i1.1374>
- Noviyanti, A., & Jasmi, J. (2022). Faktor Fisik dan Psikologis Ibu Bersalin dengan Intensitas Nyeri Persalinan Kala I pada Ibu Primipara. *Jurnal Kesehatan*, 13(3), 437. <https://doi.org/10.26630/jk.v13i3.2945>
- Nurchayati, Admasari, & Yunita. (2020). Perbedaan Intensitas Nyeri Pada Pasien Inpartu Kala I Fase Aktif Dengan Teknik Effleurage Di Puskesmas Bendo Kediri. *Indonesian Journal of Health Development*, 2(2), 92–101.
- PPNI. (2016). *Standar Diagnosis Keperawatan Indonesia* (1st ed.). PPNI.
- Puspitasari, E. (2020). Hubungan Dukungan Suami Dan Keluarga Dengan Intensitas Nyeri Persalinan Kala I. *Jurnal Kesehatan*, 12(2), 118–124. <https://doi.org/10.23917/jk.v12i2.9768>
- Rahayu, S. (2020). Teknik Massage Efflurage Dapat Mengurangi Nyeri Kala I Pada Ibu Bersalin Di Puskesmas Halmahera Kota Semarang. *Jurnal Kesehatan*, 13(1), 46–52. <https://doi.org/10.23917/jk.v13i1.11100>
- Rahmat, I., & Siswosudarmo, R. (2014). *Pengaruh Pendidikan Kesehatan Terhadap Kecemasan Primigravida Dalam Menghadapi Persalinan*. <https://journal.ugm.ac.id/jkr/article/download/5747/4662>
- Royal College of Obstetricians and Gynaecologists. (2019). *Information for You: Your Baby's Movements in Pregnanc*. <https://www.rcog.org.uk/guidance/>
- Simavli, S., Gumus, I., Kaygusuz, I., Yildirim, M., Usluogullari, B., & Kafali, H. (2014). Effect of music on labor pain relief, anxiety level and postpartum analgesic requirement: A randomized controlled clinical trial. In *Gynecologic and Obstetric Investigation* (Vol. 78, Issue 4, pp. 244–250). <https://doi.org/10.1159/000365085>
- Siswi Utami, F., Mutiara Putri Kebidanan, I., Ilmu Kesehatan, F., Yogyakarta, A., & Artikel, R. (2020). Penatalaksanaan Nyeri Persalinan Normal. *Midwifery Journal | Kebidanan*, 5(2), 107–109.
- Smith, C. A., Levett, K. M., Collins, C. T., Armour, M., Dahlen, H. G., & Suganuma, M. (2018). Relaxation techniques for pain management in labour. *Cochrane Database of Systematic Reviews*, 2018(3). <https://doi.org/10.1002/14651858.CD009514.pub2>
- Sridarmayanti, N. M., & Raya, N. A. J. (2023). Pengaruh Teknik Relaksasi Nafas Dalam Terhadap Penurunan Nyeri Post-Operatif Pada Pasien Fraktur: a Literature Review.

Coping: Community of Publishing in Nursing, 11(3), 179.
<https://doi.org/10.24843/coping.2023.v11.i03.p08>

- Subiastutik, E., & Maryanti, S. A. (2022). *Buku Ajar Asuhan Kebidanan Persalinan*.
- Sunarsih, S., & Sari, T. P. (2020). Nyeri persalinan dan tingkat kecemasan pada ibu inpartu kala I fase aktif. *Holistik Jurnal Kesehatan*, 13(4), 327–332.
<https://doi.org/10.33024/hjk.v13i4.1365>
- Suriani, S., Nurani, E., & Siagian, N. A. (2019). Pengaruh Teknik Massage Back-Effleurage Terhadap Pengurangan Rasa Nyeri Persalinan Kala I Di Klinik Bersalin Kurnia Kecamatan Delitua Kabupaten Deli Serdang. *Jurnal Penelitian Keperawatan Medik*, 2(1), 24–29. <https://doi.org/10.36656/jpkm.v2i1.203>
- Suryani, S., Deswitri, L., & Reswari, W. (2024). Luaran Maternal dan Neonatal Terhadap Ibu Bersalin dengan Infeksi Covid-19. *JIK (Jurnal Ilmu Kesehatan)*, 8(1), 184–192.
- Wall, P. D. (2016). *Wall and Melzack's Textbook of Pain*. <https://www.elsevier-elibrary.com/product/wall-melzacks-textbook-pain-ebook>
- Yuana, F. I. H., Arlym, L. T., & Yuanti, Y. (2023). Pengaruh Aromaterapi Mawar Terhadap Nyeri Persalinan: Systematic Literature Review. *Jurnal Akademika Baiturrahim Jambi*, 12(2), 312. <https://doi.org/10.36565/jab.v12i2.640>
- Novita.(2022). Skala Nyeri Pada Anak Usia Sekolah dan Remaja: Artikel Direktorat Jendral Pelayanan Kesehatan. https://yankes.kemkes.go.id/view_artikel/67/skala-nyeri-pada-anak-usia-sekolah-dan-remaja