

## DAFTAR PUSTAKA

- Adetunji, A. A. *et al.* (2007) ‘Perceived family support and blood glucose control in type 2 diabetes’, *Mera:Diabetes International*, 15(2), pp. 18–19.
- Adiatama, W. (2011) ‘The Relationship of Self Care, Self Efficacy, and Social Support with Glycemic Control (HbA1C) among Type 2 Diabetes Melitus Patients in Banyudono 1 and Ngemplak Public Health Centers in Boyolali District Central Java Province’, *Thesis. University of Gadjah Mada Postgraduate Program Faculty Medicine. Yogyakarta*.
- Ahmad, N. S., Islahudin, F. and Paraidathathu, T. (2014) ‘Factors associated with good glycemic control among patients with type 2 diabetes mellitus’, *Journal of Diabetes Investigation*, 5(5), pp. 563–569. doi: 10.1111/jdi.12175.
- American Diabetes Association (2017) ‘Standard of medical care in diabetes - 2017’, *Diabetes Care*, 40 (sup 1)(January), pp. s4–s128. doi: 10.2337/dc17-S001.
- Astuti, C. M. and Setiarini, A. (2013) ‘Faktor-Faktor yang Berhubungan dengan Pengendalian Kadar Glukosa Darah Pasien Diabetes Melitus Tipe 2 Rawat Jalan di Poliklinik Penyakit Dalam RSJ Prof . Dr . Soerojo Magelang Tahun 2013’, *Skripsi Program Studi Gizi, Fakultas Kesehatan Masyarakat, Universitas Indonesia*. Available at: <http://lib.ui.ac.id/naskahringkas/2015-08/S46439-Catur Mei Astuti>.
- Azwar, S. (2008) *Penyusunan Skala Psikologi*. 2nd edn. Yogyakarta: Pustaka Pelajar.
- Bai, Y.L., Chiou, C.P., & Chang, Y. Y. (2009) ‘Self –Care Behaviour and Related Factor in Older Peapole with Type 2 Diabetes’, *Journal of Clinical Nursing*, 18:, pp. 3308–3315.
- Behboudi, L. *et al.* (2011) ‘Effects of aerobic exercise and whole body vibration on glycaemia control in type 2 diabetic males.’, *Asian journal of sports medicine*, 2(2), pp. 83–90.
- Berman, A., Snyer, S., Kozier, B., & Erb, G. (2014) *Buku Ajar Praktek Keperawatan Klinis*. 5th edn. Jakarta: EGC.
- Berman, A. *et al.* (2009) *Buku Ajar Praktek Keperawatan Klinis*. 5th edn. Jakarta: EGC.
- Boren, S., Gunlock, TL., Schaefer, J. & Albright, A. (2007) ‘Reducing Risk

Research and Theory for Nursing Practice', *An International Journal*, 19(3), pp. 217–230. Available at: <http://search.proquest.com/docview/207665961/fulltextPDF/CEBB6241674456CPQ/1?accountid=325606> in Diabetes Self-Management. *Diabetes Educ*, 33 (2): 1053-1077.

Brunner, L.S. & Suddarth, D. S. (2009) *Textbook of Medical-Surgical Nursing*. Lippincott: Williams & Wilkins.

Center for Disease Control and Prevention (2017) *Health, United States, 2016: With Chartbook on Long-term Trends in Health*. Available at: <https://www.cdc.gov/nchs/data/hus/hus16.pdf#056%0Ahttps://www.cdc.gov/nchs/data/hus/hus16.pdf%23listtables%0Ahttps://www.cdc.gov/nchs/data/hus/hus16.pdf%23019>.

Ceriello, A., Colagiuri, S., Gerich, J.,& Tuomilehto, J. (2008) 'Guideline for Management of Postmeal Glucose. *Nutr Metab Cardiovasc Dis*', 18(4), pp. 17–33.

Dahlan, M. S. (2016) *Statistik Untuk Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.

Dewi, R. K. (2014) 'Hubungan Antara Kadar Glukosa Darah Penderita Diabetes Melitus Tipe 2 Dengan Kualitas Hidup Pada Peserta Prolanis Askes Di Surakarta'.

Dinas Kesehatan Kabupaten Gianyar (2017) 'Surveilans Kasus Penyakit Tidak Menular di Kabupaten Gianyar'.

Dinas Kesehatan Provinsi Bali (2016) *Surveilans Kasus Penyakit Tidak Menular di Provinsi Bali*.

Dwi Ario, M. (2014) 'Effect of Nicotine in Cigarette for Type 2 Diabetes Mellitus', *J Majority*, 3(7), pp. 75–80.

Egede, L. E. *et al.* (2011) 'Role of Motivation in the Relationship between Depression, Self- Care, and Glycemic Control in Adults with Type 2 Diabetes', *Diabetes care and National institute of health care*, 36(2), pp. 276–283. doi: 10.1177/0145721710361389.

Fatimah, U. N., Purnomo, L. B. and Istiono, W. (2014) 'Hubungan Self-Care dengan Kontrol Glikemik pada Pasien Tipe 2 di Klinik Dokter Keluarga', pp. 2–3.

Fu, M., Hu, J. and Cai, X. (2015) 'Effectiveness of a community-based diabetes self-management intervention for Chinese adults with type 2 diabetes: A pilot

- study', *International Journal of Nursing Practice*, 21(S2), pp. 132–140. doi: 10.1111/ijn.12373.
- Gammell, L. A. (2007) 'Associations Among a Set Motivational Variables, Self Management Behaviors and Glycemic Control in a Sample of African – Americans with Type 2 Diabetes', *Disertasi. Baltimore University of Maryland*.
- Ganong, M. C. et al. (2003) 'An Increase in Dietary Protein Improves the Blood Glucose Response in Persons with Type 2 Diabetes', 78(4), pp. 734–741.
- Ganong, W. and McPhee, F. (2010) *Patofisiologi Penyakit: Pengantar Menuju Kedokteran Klinis*. 5th edn. Jakarta: EGC.
- Gharaibeh, B. (2012) 'Testing a Conceptual Framework for Self of in Persons with Diabetes: The Effect of Depression', *Disertasi*.
- Guyton, A. and Hall, J. (2012) *Buku Ajar Fisiologi Kedokteran*. 11th edn. Jakarta: EGC.
- Hastono, S. (2007) *Analisa Data Kesehatan*. Jakarta: Universitas Indonesia.
- Heilbornn, L. K., Noakes, M. and Clifton, P. M. (2002) 'The Effect of High- and Low-Glycemic Index Energy Restricted Diets on Plasma Lipid and Glucose profiles in Type 2 Diabetic Subjects with Varying Glycemic Control', *US National Library of Medicine National Institutes of Health*, 21(2), pp. 120–7. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/11999539>.
- Hidayat, A. A. (2007) *Riset Keperawatan dan Teknik Penulisan Ilmiah*. Jakarta: Salemba Medika.
- Holt, P. (2009) *Diabetes in Hospital: A Practice Approach for Healthcare Professionals*. United Kingdom: John Wiley & Sons, Ltd.
- Ikram, A. (2004) *Diabetes Melitus pada Usia Lanjut*. 7th edn. Edited by S. Noer. Jaka: Balai Penerbit FKUI.
- International Diabetes Federation (2017) *IDF Diabetes Atlas Eighth Edition 2017*. Available at: <https://doi.org/10.1016/j.diabres.2009.10.007>.
- International Diabetes Institute/ Western Pacific World Health Organization/ International and Force, A. for the study of O. I. O. T. (2000) 'The Asia-Pacific perspective: redefining obesity and its treatment', *Geneva, Switzerland: World Health Organization*, p. 56. doi: 0-9577082-1-1.
- Irawan, D. (2010) 'Prevalensi dan Faktor Risiko Kejadian Diabetes Melitus Tipe 2

di Daerah Urban Indonesia (Analisa Data Sekunder Riskesdas 2007)', *Skripsi Fakultas Kesehatan Masyarakat Program Studi Kesehatan Masyarakat Universitas Indonesia*, 52, pp. 69–71.

Isworo, A. and Saryono (2010) 'Hubungan Depresi dan Dukungan Keluarga dengan Kadar Glukosa Darah pada Diabetes Melitus Tipe 2 di RSUD Sragen', *Jurnal Keperawatan Soedirman*, 5(1), pp. 37–46.

Jansiraninatarajan (2013) 'Diabetic compliance: A qualitative study from the patient's perspective in developing countries', *IOSR Journal of Nursing and Health Science*, 1(4), pp. 29–38. doi: 10.9790/1959-0142938.

Kementerian Kesehatan Republik Indonesia (2017) 'Tekan angka kematian melalui program indonesia sehat dengan pendekatan keluarga', pp. 1–2. Available at: <http://www.depkes.go.id/article/view/17061600003/tekan-angka-kematian-melalui-program-indonesia-sehat-dengan-pendekatan-keluarga.html>.

Kementerian Kesehatan RI (2013a) *Dalam Angka Riset Kesehatan Dasar Provinsi Bali*. Available at: <http://www.diskes.baliprov.go.id/files/subdomain/diskes/November 2015/Riskesdas/riskesdas bali 2013.pdf>.

Kementerian Kesehatan RI (2013b) *Riset Kesehatan Dasar*. Available at: <http://www.depkes.go.id/resources/download/general/Hasil Riskesdas 2013.pdf>.

Khattab, M. et al. (2018) 'Factors associated with poor glycemic control among patients with Type 2 diabetes', *Journal of Diabetes and Its Complications*. Elsevier, 24(2), pp. 84–89. doi: 10.1016/j.jdiacomp.2008.12.008.

Kusniawati (2011) 'Analisis Faktor yang Berkontribusi terhadap Self Care Diabetes pada Klien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Tanggerang', *Tesis*. Available at: <http://lib.ui.ac.id/file?file=digital/0281676T Kusniawati.pdf>.

Kusniyah, Y., Nursiswati and Rahayu, U. (2011) 'Hubungan Tingkat Self Care dengan Tingkat HbA1C pada Klien diabetes Melitus Tipe 2 di Poliklinik Endokrin RSUP R. Hasan Saikin Bandung', (4). Available at: [http://repository.unpad.ac.id/8976/1/hubungan\\_tingkat\\_self\\_care\\_dengan\\_tingkat\\_hb1c.pdf%0Ahttp://repository.unpad.ac.id/8976/](http://repository.unpad.ac.id/8976/1/hubungan_tingkat_self_care_dengan_tingkat_hb1c.pdf%0Ahttp://repository.unpad.ac.id/8976/).

Laranjo, L. et al. (2015) 'Facilitators, barriers and expectations in the self-management of type 2 diabetes - A qualitative study from Portugal', *European Journal of General Practice*, 21(2), pp. 103–110. doi: 10.3109/13814788.2014.1000855.

- Lloyd, C., Smith, J. and Weinger, K. (2005) ‘Stress and diabetes: A review of the links’, *Diabetes Spectrum*, 18(2), pp. 121–127. doi: 10.2337/diaspect.18.2.121.
- Mashburn, D. D. (2012) ‘Self Efficacy, Self Reliance, Adherence to Self Care, and Glycemic Control Among Cherokee with Type 2 Diabetes’, *Disertasi*. Available at: ProQuest LLC database. (UMI No. 3523007).
- Mayberry, L. S. and Osborn, C. Y. (2012) ‘Family support, medication adherence, and glycemic control among adults with type 2 diabetes’, *Diabetes Care*, 35(6), pp. 1239–1245. doi: 10.2337/dc11-2103.
- Mihardja, L. (2009) ‘Faktor yang Berhubungan dengan Pengendalian Gula Darah pada Penderita Diabetes Mellitus dalam Majalah Kedokteran Indonesia’.
- Mohamed, E. *et al.* (2004) ‘Dyslipidaemic Pattern of Patients with Type 2 Diabetes Mellitus’, *Malaysian Journal of Medical Sciences*, 11(1), pp. 44–51.
- Muhammad Arif Asrikan (2016) ‘Hubungan Self Efficacy Dengan Self Care Activity Pada Pasien Dengan Diabetes Mellitus Tipe II Di Rsud Pandan Arang Boyolali’, *Naskah Publikasi Program Studi S-1 Keperawatan Stikes Kusuma Husada Surakarta Skripsi*. Available at: <http://digilib.stikeskusumahusada.ac.id/files/disk1/33/01-gdl-muhammadar-1607-1-artikel-n.pdf>.
- Mukona, D. *et al.* (2017) ‘Barriers of Adherence and Possible Solutions to Nonadherence to Antidiabetic Therapy in Women with Diabetes in Pregnancy: Patients’ Perspective’, *Journal of Diabetes Research*, 2017. doi: 10.1155/2017/3578075.
- Mulyani, N. S. (2016) ‘Hubungan Self Management Pasien Diabetes’, *Politeknik Kesehatan Kementerian Kesehatan Aceh*, 3(2), pp. 56–63. Available at: <http://ejournal.litbang.depkes.go.id/index.php/sel/article/view/6383/4817>.
- Nadimin, Ayu, S. D. and Sadarih (2009) ‘Pengaruh Pemberian Diet DM Tinggi Serat terhadap Penurunan Kadar Gula Darah Pasien DM Tipe 2 di RSUD Salewangang Kab. Maros’, *Media Gizi Pangan*, 3(1), pp. 29–34.
- Nathan, D. M. (2014) ‘The diabetes control and complications trial/epidemiology of diabetes interventions and complications study at 30 years: Overview’, *Diabetes Care*, 37(1), pp. 9–16. doi: 10.2337/dc13-2112.
- Nelson, K. M., McFarland, F. and Reiber, G. (2007) ‘Factors Influencing Disease Self-Management Among Veterans with Diabetes and Poor Glycemic Control’, *Journal of General Internal Medicine*, 22, pp. 442–447. doi:

10.1007/s11606-006-0053-8.

Notoadmojo, S. (2016) *Metodologi Pendidikan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.

Nursalam (2017) *Konsep dan Penerapan Metodelogi Penelitian Ilmu Keperawatan: Pedoman Skripsi, Tesis, dan Instrumen Keperawatan*. Jakarta: Salemba Medika.

Nursalam & Efendi, F. (2008) *Pendidikan dalam Keperawatan*. Jakarta: EGC.

O’Gorman, D.J. & Krook, A. (2011) ‘Exercise and The Treatment of Diabetes and Obesity’, *Medical Clinics of North America*, 95, pp. 953–969.

Padma, Karam, Bele, Samir D, Bodhare, T. N. (2012) ‘Evaluation Of Knowledge And Self Care Practices In Diabetic Patients And Their Role In Disease Management’, *National Journal of Community Medicine*, 3(1), p. 3. Available at: <http://connection.ebscohost.com/c/articles/83290504/evaluation-knowledge-self-care-practices-diabetic-patients-their-role-disease-management>.

PERKENI (2015) *Konsensus Pengendalian dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*, Perkeni. doi: 10.1017/CBO9781107415324.004.

Post, R. E. et al. (2012) ‘Dietary Fiber for the Treatment of Type 2 Diabetes Mellitus: A Meta-Analysis’, *The Journal of the American Board of Family Medicine*, 25(1), pp. 16–23. doi: 10.3122/jabfm.2012.01.110148.

Potter, Patricia A & Perry, A. G. (2010) *Buku Ajar Fundamental Keperawatan*. 4th edn. Jakarta: EGC.

Powers, M. A. et al. (2015) ‘Diabetes Self-management Education and Support in Type 2 Diabetes: A Joint Position Statement of the American Diabetes Association, the American Association of Diabetes Educators, and the Academy of Nutrition and Dietetics’, *The Diabetes Educator*, 41(4), pp. 417–430. doi: 10.1177/0145721715588904.

Price, S. . and Wilson, L. . (2013) *Patofisiologi: Konsep Klinis Proses-Proses Penyakit*. 6th edn. Jakarta: EGC.

Ramadhan, N. and Hanum, S. (2016) ‘Kontrol Glikemik Pada Penderita Diabetes Melitus Tipe 2 di Puskesmas Jayabaru Kota Banda Aceh’, 3, pp. 1–10.

Rondonuwu, R. G., Rompas, S. and Bataha, Y. (2016) ‘Hubungan Aantara Perilaku Olahraga Dengan Kadar Gula Darah Penderita Diabetes Mellitus di Wilayah Kerja Pusekesmas Wolaang Kecamatan Langowan Timur’, *Ejournal*

*Keperawatan*, 4(1), pp. 1–7.

- Saad, A. et al. (2017) ‘Self-efficacy, self-care and glycemic control in Saudi Arabian patients with type 2 diabetes mellitus: A cross-sectional survey’, *National Institutes of Health*, 13(7), pp. 28–36. doi: 10.1016/j.diabres.2017.12.014.
- Safila, I., Sanjaya, Y. G. and Madyaningrum, E. (2010) ‘Hubungan antara Tingkat Literasi Keshetan dengan Diabetes Self Care Activities pada Pasien Diabetes Melitus Tipe 2 di Kabupaten Sleman’, pp. 2–3. Available at: [http://etd.repository.ugm.ac.id/index.php?mod=penelitian\\_detail&sub=PenelitianDetail&act=view&typ=html&buku\\_id=83542&obyek\\_id=4](http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=83542&obyek_id=4).
- Salindeho, A., Mulyadi and Rottie, J. (2016) ‘Pengaruh senam diabetes melitus terhadap kadar gula darah penderita diabetes melitus tipe 2 di Sanggar Senam Persadia Kabupaten Gorontalo’, *Keperawatan (e-Kp)*, 4(1).
- Sanal, T., Nair, N. and Adhikari, P. (2011) ‘Factor Associated With poor Control of Type 2 Diabetes Mellitus: A Systematic Review and Meta Analysis’, *Journal of Diabetology*, 3(53), pp. 1–10.
- Satriawibawa, I. W. E. and Saraswati, M. R. (2012) ‘Prevalensi Komplikasi Akut Dan Kronis Pasien Diabetes Melitus Tipe 2 Di Poliklinik Penyakit Dalam Rsup Sanglah’, pp. 1–15. Available at: <http://download.portalgaruda.org/article.php?article=295810&val=970&title=PREVALENSI%20KOMPLIKASI%20AKUT%20DAN%20KRONIS%20PASIEN%20DIABETES%20MELITUS%20TIPE%202%20DI%20POLIKLINIK%20 PENYAKIT%20DALAM%20RSUP%20SANGLAH%20PERIODE%20JANUARI%202011-%20MEI%202012>.
- Setiadi (2013) *Konsep dan Praktik Penulisan Riset Keperawatan*. 2nd edn. Yogyakarta: Graha Ilmu.
- Shrivastava, S. R., Shrivastava, P. S. and Ramasamy, J. (2013) ‘Role of self-care in management of diabetes mellitus’, *Journal of Diabetes and Metabolic Disorders*, 12(1), p. 1. doi: 10.1186/2251-6581-12-14.
- Siddiqui, M., Khan, M. and Carline, T. (2013) ‘Gender Differences in Living with Diabetes Mellitus’, *Materia Socio Medica*, 25(2), p. 140. doi: 10.5455/msm.2013.25.140-142.
- Smeltzer, S. . and Bare, B. (2015) *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth*. 8th edn. Jakarta: EGC.
- Soegondo, S. (2013) *Penatalaksanaan Diabetes Melitus Terpadu*. kedua. Edited by S. Soegondo, P. Soewondo, and I. Subekti. Balai Penerbit FKUI.

- Soewondo, P. (2013) *Pemantauan Pengendalian Diabetes Melitus*. In *Penatalaksanaan Diabetes Melitus Terpadu*. Jakarta: Balai Penerbit FKUI.
- Sousa, V.D., Zauszniewki, J.A., Musil, C.M., Lea, P.J.P. & Davis, S. A. (2005) ‘Relationship Among Self-Care Agency, Self Efficacy, Self Care, and Glycemic Control’.
- Sudoyo, A.W., Setiyohai, B., Alwi, I., Simadibrata, M.,& Setiadi, S. (2006) *Buku Ajar Ilmu Penyakit Dalam*. 3rd edn. Jakarta: Pusat Penerbit Departemen Penyakit Dalam FKUI.
- Sugiyarti, Meikawati, W. and Salawati, T. (2011) ‘Hubungan Ketaatan Diet dan Kebiasaan Olahraga dengan Kadar Gula Darah pada Pasien Diabetes Melitus yang Berobat di Puskesmas Ngembal Kulon Kabupaten Kudus’, *Jurnal Kesehatan Masyarakat Indonesia*, 7(1), pp. 51–58.
- Sugiyono (2014) *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung: Alfabeta.
- Suyono, S. (2013) ‘Patofisiologi Diabetes Melitus’, in Soegondo, S. (ed.) *Penatalaksanaan Diabetes meilitus Tepadu*. 2nd edn. Jakarta: Balai Penerbit FKUI.
- Swarjana, I. K. (2012) *Metodelogi Penelitian Kesehatan*. Yogyakarta: CV Andi Offset.
- Tandra, H. (2017) *Segala Sesuatu yang Harus Anda Ketahui tentang Diabetes*. 2nd edn. Jakarta: PT Gramedia Building.
- Tharek, Z. et al. (2018) ‘Relationship between self-efficacy , self-care behaviour and glycaemic control among patients with type 2 diabetes mellitus in the Malaysian primary care setting’. BMC Family Practice, pp. 1–10.
- Tomey, A.M. & Alligoo, M. R. (2006) *Nursing Theoritis and Their Work*. 4th edn. St. Louis: Mosby.
- Toobert, D. J., Hampson, S. E. and Glasgow, R. E. (2000) ‘The Summary of Diabetes Self-Care’, *Diabetes Care Journal*, 23(7), pp. 943–950. doi: 10.2337/diacare.23.7.943.
- Trisnawati, S. K. and Setyorogo, S. (2013) ‘Faktor Risiko Kejadian Diabetes Melitus Tipe II Di Puskesmas Kecamatan Cengkareng Jakarta Barat Tahun 2012’, *Jurnal Ilmiah Kesehatan*, 5(1), pp. 6–11.
- Umar, H. (2006) ‘Faktor Determinan Kejadian Diabetes pada Orang Dewasa di Indonesia ( Analisis Data Sekunder SKRT 2004)’.

Umpierre, D., Ribeiro, P.A.B., Kramer, C.K., Leitao, C.B., Zucatti, A.T.N., Azavedo, M.J., & Schaan, B. D. (2011) ‘Physical Activity only or Structured Exercise Training and Association with HbA1C Levels in Type 2 Diabetes: A Systematic Review and Meta-Analysis’, *Journal of the American Medical Association*, 305, pp. 1790–1799.

UPT Kesmas Gianyar I (2017) *Surveilans Kasus PTM di UPT Kesmas I Gianyar*.

Vivienne, S.-F. *et al.* (2007) ‘Self-Efficacy, Outcome Expectations and Self-Care Behaviour in People with Type 2 Diabetes in Taiwan’, *Journal of Clinical Nursing*, 16(11c), pp. 250–256. Available at: <https://onlinelibrary.wiley.com/doi/10.1111/j.1365-2702.2006.01930.x>.

Waker, C. L. (2012) ‘The Effects of Motivational Interviewing on Diabetes Self-Management Behaviors and Glycemic Control in Type 2 Diabetes: A Translational Study’, *University of Cincinnati, ProQuest Dissertations Publishing*. Available at: <https://search.proquest.com/docview/1098782492/fulltextPDF/A81200B4844E4C25PQ/1accountid=32506>.

Wasis (2008) *Pedoman Riset Praktis untuk Profesi Perawat*. Jakarta: EGC.

Weiler, D. . and Janice, D. . (2007) ‘Diabetes Self Management in the Migrant Latino Population’, *Hispanic Health Care International*, 5(1), pp. 27–32.

Wheeler, M. L. *et al.* (2012) ‘Macronutrients, food groups, and eating patterns in the management of diabetes: A systematic review of the literature, 2010’, *Diabetes Care*, 35(2), pp. 434–445. doi: 10.2337/dc11-2216.

WHO (2016) ‘Global Report on Diabetes’, *Isbn*, 978, p. 88. doi: ISBN 978 92 4 156525 7.

Xu, Y. *et al.* (2008) ‘Factors influencing diabetes self-management in Chinese people with type 2 diabetes’, *Research in Nursing & Health*, 31(6), pp. 613–625. doi: 10.1002/nur.20293.