

DAFTAR PUSTAKA

- Aaberg, M. L. *et al.* (2008) 'Gender Differences in The Onset of Diabetic Neuropathy', *Journals of Diabetes and Its Complications*, 22, pp. 83–87. doi: 10.1016/j.jdiacomp.2007.06.009.
- ADA (2017) 'Standars of Medical Care in Diabetes - 2017', *Diabetes Care*, 40 (sup 1)(January). doi: 10.2337/dc17-S001.
- ADA (2018) 'Stadars of Medical Care in Diabetes', *Diabetes Care*, 41 (sup 1)(January). doi: 10.2337/dc18-SPPC01.
- Adam, G. *et al.* (2003) 'The Health Care Costs of Diabetic Peripheral Neuropathy in the US', *Diabetes Care*, 26(6), pp. 1790–1795. doi: 10.2337/diacare.26.6.1790.
- Afifi, M. H. (2017) 'Determinants of Diabetic Knowledge and Self-Efficacy and Their Associations with Diabetic Management in Patients with Type 2 Diabetes', *Journal of Health, Medicine and Nursing*, 36, pp. 55–66. Available at: <https://www.iiste.org/Journals/index.php/JHMN/article/view/36122>.
- Asad, A. *et al.* (2010) 'Reliability of The Neurological Scores for Assessment of Sensorimotor Neuropathy in Type 2 Diabetics', *J Pak Med Assoc*, pp. 166–170. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/20225769>.
- Bai, Y.L., Chiou, C.P., & Chang, Y. Y. (2009) 'Self –Care Behaviour and Related Factor in Older Peapole with Type 2 Diabetes', *Journal of Clinical Nursing*, 18, pp. 3308–3315. doi: 10.1111/j.1365-2702.2009.02992.x.
- Bansal, D. *et al.* (2014) 'Prevalence and Risk Factors of Development of Peripheral Diabetic Neuropathy in Type 2 Diabetes Mellitus in a Tertiary Care Setting', *Journal of Diabetes Investigation*, 5(6), pp. 714–721. doi: 10.1111/jdi.12223.
- Behboudi, L. *et al.* (2011) 'Effects of Aerobic Exercise and Whole Body Vibration on Glycaemia Control in Type 2 Diabetic Males', *Asian Journal of Sports Medicine*, 2(2), pp. 83–90. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3289205/>.
- Bilous, R. and Donnelly, R. (2014) *Buku Pegangan Diabetes*. 4th edn. Edited by B. Bariid. Jakarta: Bumi Medika.
- Bruce, S. G. and Young, T. K. (2008) 'Prevalence and Risk Factors for Neuropathy in a Canadian First Nation', *Diabetes Care*, 31(9), pp. 1837–1841. doi: 10.2337/dc08-0278.

- Candra, I. W. (2015) *Psikologi: Landasan Keilmuan Praktik Keperawatan Jiwa*. 1st edn. Denpasar: Politeknik Kesehatan Denpasar Jurusan Keperawatan.
- Center of Integrated Healthcare (2013) ‘Diabetic Neuropathies : The Nerve Damage of Diabetes’, *Diabetic Neuropathies*, 3, pp. 1–7.
- Chaidir, R., Wahyuni, A. S. and Furkhani, D. W. (2017) ‘Hubungan Self Care dengan Kualitas Hidup Pasien Diabetes Melitus’, 2(June), pp. 132–144. doi: <http://doi.org/10.22216/jen.v2i2.1357>.
- Chang, S. A. (2012) ‘Smoking and Type 2 Diabetes Mellitus’, *Diabetes & Metabolic Journal*, 36, pp. 399–403. doi: <http://dx.doi.org/10.4093/dmj.2012.36.6.399> pISSN.
- Clair, C. *et al.* (2015) ‘The Effect of Cigarette Smoking on Diabetic Peripheral Neuropathy : A Systematic Review and Meta-Analysis’, *J Gen Intern Med*, 30(8), pp. 1193–1203. doi: 10.1007/s11606-015-3354-y.
- Dahlan, M. S. (2016) *Statistik Untuk Kedokteran dan Kesehatan*. 6th edn. Jakarta: Salemba Medika.
- Dinas Kesehatan Kabupaten Klungkung (2018) *Surveilans Kasus Penyakit Tidak Menular di Kabupaten Klungkung*.
- Dinas Kesehatan Provinsi Bali (2017) *Surveilans Kasus Penyakit Tidak Menular di Provinsi Bali*.
- Dwi Ario, M. (2014) ‘Effect of Nicotine in Cigarette for Type 2 Diabetes Mellitus’, *J Majority*, 3(7), pp. 75–80. Available at: <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/481>.
- Franconi, F. *et al.* (2012) ‘Sex-Gender Differences in Diabetes Vascular Complications and Treatment’, *Endocrine, Metabolic & Immune Disorders - Drug Targets*, 12, pp. 179–196.
- Gharaibeh, B. (2012) *Testing a Conceptual Framework for Self of in Persons with Diabetes: The Effect of Depression*, Disertasi. University of Kansas.
- Gharaibeh, B., Al-smadi, A. and Boyle, D. K. (2016) ‘The Relationships among Depression, Self-Care Agency, Self-Efficacy and Diabetes Self-Care Management’, *Journal of Research in Nursing*, 21(2), pp. 110–122. doi: 10.1177/1744987115621782.
- Gleeson-kreig, J., Bernal, H. and Woolley, S. (2002) ‘The Role of Social Support in the Self-Management of Diabetes Mellitus Among a Hispanic Population’, *Public Health Nursing*, 19(3), pp. 215–222. doi: <https://doi.org/10.1046/j.0737-1209.2002.19310.x>.

- Gogia, S. and Rao, C. R. (2017) 'Prevalence and Risk Factors for Peripheral Neuropathy among Type 2 Diabetes Mellitus Patients at a Tertiary Care Hospital in Coastal Karnataka', *Indian Journal of Endocrinology and Metabolism*, 21(5), pp. 665–669. doi: 10.4103/ijem.IJEM.
- Hamed, E. and Monem, M. A. (2018) 'A Review of Diabetic Peripheral Neuropathy Management Given Recent Guidelines Updates', *Arch Gen Intern Med*, 2(4), pp. 1–5. doi: 10.4066/ 2591-7951.1000060.
- Hastono, S. (2007) *Analisa Data Kesehatan*. Jakarta: Universitas Indonesia.
- Hershey, D. S. (2017) 'Diabetic Peripheral Neuropathy: Evaluation and Management', *The Journal for Nurse Practitioners*. Elsevier, 13(3), p. 199–204.e1. doi: 10.1016/j.nurpra.2016.08.034.
- Hidayat, A. A. (2007) *Riset Keperawatan dan Teknik Penulisan Ilmiah*. Jakarta: Salemba Medika.
- Hutapea, F. S., Kembuan, M. A. H. N. and P.S., J. M. (2016) 'Gambaran Klinis Neuropati pada Pasien Diabetes Melitus di Poliklinik Neurologi', 4(1).
- Hyman, I. *et al.* (2017) 'Provider- and patient-related determinants of diabetes self-management among recent immigrants Recherche Déterminants reliés au médecin et au patient influençant la prise en charge autonome du diabète par des immigrants récents', *Canadian Family Physician*, 63, pp. e137–e144. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5395412/>.
- IDF (2015) *IDF Diabetes Atlas Seventh Edition 2015*. 7th edn.
- IDF (2017) *IDF Diabetes Atlas Eight Edition 2017*. 8th edn.
- Ismonah (2008) *Analisis Faktor - Faktor yang Berhubungan dengan Self Care Management Pasien Diabetes Mellitus dalam Konteks Asuhan Keperawatan*. Universitas Indonesia.
- Javed, A. *et al.* (2014) 'Gender Based Differences in Diabetic Peripheral Neuropathy', *Pakistan Journal of Neurological Sciences*, 9(4).
- Katulanda, P. *et al.* (2012) 'The prevalence , patterns and predictors of diabetic peripheral neuropathy in a developing country', pp. 1–8.
- Kayar, Y. *et al.* (2017) 'Relationship Between the Poor Glycemic Control and Risk Factors , Life Style and Complications', *Biomedical Research*, 28(4), pp. 1581–1586. Available at: <http://www.alliedacademies.org/articles/relationship-between-the-poor-glycemic-control-and-risk-factors-life-style-and-complications.html>.

- Kementerian Kesehatan RI (2007) *Riset Kesehatan Dasar*. Jakarta.
- Kementerian Kesehatan RI (2013) *Riset Kesehatan Dasar*. Jakarta.
- Kementerian Kesehatan RI (2018) *Hasil Utama Riskesdas 2018*. Jakarta.
- Khawaja, N. *et al.* (2018) 'The Prevalence and Risk Factors of Peripheral Neuropathy among Patients with Type 2 Diabetes Mellitus', *Diabetology & Metabolic Syndrome*. BioMed Central, 10(8), pp. 1–10. doi: 10.1186/s13098-018-0309-6.
- Kusniawati (2011) *Analisis Faktor yang Berkontribusi terhadap Self Care Diabetes pada Klien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Tangerang, Tesis*. Universitas Indonesia.
- Kusniyah, Y., Nursiswati and Rahayu, U. (2010) 'Hubungan Tingkat Self Care dengan Tingkat HbA1C pada Klien Diabetes Melitus Tipe 2', (4). Available at: http://pustaka.unpad.ac.id/wp-content/uploads/2011/06/hubungan_tingkat_self_care_dengan_tingkat_hb1c.pdf.
- Mardastuti, Y., Asmedi, A. and Gofir, A. (2013) *Diabetic Neuropathy Symptom dan Diabetic Neuropathy Examination Sebagai Skor Diagnostik Neuropati Diabetik*. Universitas Gajah Mada. Available at: http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=66079&obyek_id=4.
- Mashburn, D. D. (2012) *Self Efficacy, Self Reliance, Adherence to Self Care, and Glycemic Control Among Cherokee with Type 2 Diabetes, Disertasi*. University of Minnesota. Available at: <https://conservancy.umn.edu/handle/11299/134366>.
- Meijer, J. G. (2002) *Symptom Scoring Systems to Diagnose Distal Polyneuropathy in Diabetes: The Diabetic Neuropathy Symptom Score*. University of Groningen. doi: 10.1046/j.1464-5491.2002.00819.x.
- Mohebi, S. *et al.* (2018) 'Relationship between Perceived Social Support and Self-Care Behavior in Type 2 Diabetics: A Cross-Sectional Study', *Journal of Education and Health Promotion*, 7, pp. 1–6. doi: 10.4103/jehp.jehp.
- Mouhamed, D. H. *et al.* (2015) 'Effect of Cigarette Smoking on Insulin Resistance Risk', *Annales de cardiologie et d'angiologie*. Elsevier Masson SAS. doi: 10.1016/j.ancard.2014.12.001.
- Nadimin, Ayu, S. D. and Sadariah (2009) 'Pengaruh Pemberian Diit DM Tinggi Serat terhadap Penurunan Kadar Gula Darah Pasien DM Tipe 2 di RSUD Salewangang Kab. Maros', *Media Gizi Pangan*, VII, pp. 29–34.

- Notoadmojo, S. (2016) *Metodologi Pendidikan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nurayati, L. and Adriani, M. (2017) 'Hubungan Aktifitas Fisik dengan Kadar Gula Darah Puasa Penderita Diabetes Melitus Tipe 2', *Amerta Nutrition*, pp. 80–87. doi: 10.20473/amnt.v1.i2.2017.80-87.
- Nursalam (2017) *Metodologi Penelitian Ilmu Keperawatan*. 4th edn. Jakarta: Salemba Medika.
- Nwankwo, C. H., Nandy, B. and Nwankwo, B. O. (2010) 'Factors Influencing Diabetes Management Outcome among Patients Attending Government Health Facilities in South East, Nigeria', *International Journal of Tropical Medicine*, 5(2), pp. 28–36. doi: 10.3923/ijtmed.2010.28.36.
- Oxford Diabetes Library (2009) *Diabetic Neuropathy*. Edited by S. Tesfaye and A. Boulton. New York: Oxford University Press Inc.
- Padma, K. *et al.* (2012) 'Evaluation of Knowledge and Self Care Practices In Diabetic Patients And Their Role In Disease Management', *National Journal of Community Medicine*, 3(1), pp. 3–6. Available at: <http://connection.ebscohost.com/c/articles/83290504/evaluation-knowledge-self-care-practices-diabetic-patients-their-role-disease-management>.
- PERKENI (2015) *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. PB. PERKENI.
- Piette, J. *et al.* (2004) 'Socioeconomic Position and Health among Persons with Diabetes Mellitus : A Conceptual Framework and Review of the Literature', *Epidemiologic Reviews*, 26, pp. 63–77. doi: 10.1093/epirev/mxh002.
- Potter, Patricia A & Perry, A. G. (2010) *Buku Ajar Fundamental Keperawatan*. 4th edn. Jakarta: EGC.
- Priyantono, T. (2005) *Faktor-faktor Risiko yang Berpengaruh Terhadap Timbulnya Polineuropati pada Penderita Diabetes Melitus Tipe 2*. Universitas Diponegoro.
- Purwanti, O. S. (2010) 'Hubungan Faktor Risiko Neuropati dengan Kejadian Ulkus Kaki pada Pasien Diabetes Mellitus', pp. 130–134.
- Puskesmas Klungkung I (2018) *Surveilans Kasus PTM di Puskesmas Klungkung I*.
- Rahmawati, A. (2018) 'Faktor Dominan Neuropati Diabetik pada Pasien Diabetes Melitus Tipe 2', *Jurnal Berkala Epidemiologi*, 6(1), pp. 60–68. doi: 10.20473/jbe.v6i12018.60-68.

- Rosyida, K. and Safitri, N. (2017) 'Gambaran Neuropati Perifer di Semarang', *Jurnal Luka Indonesia*, 2(3), pp. 137–144. Available at: <http://www.jurnalluka.etncentre.co.id/index.php/jli/article/view/31>.
- Saad, A. *et al.* (2017) 'Self-efficacy, Self-Care and Glycemic Control in Saudi Arabian Patients with Type 2 diabetes Mellitus: A Cross-Sectional Survey', *Diabetes Research and Clinical Practice*. doi: 10.1016/j.diabres.2017.12.014.
- Sam, N., Lestari, H. and Afa, J. R. (2017) 'Analisis Hubungan Activity of Daily Living (ADL), Aktivitas Fisik dan Kepatuhan Diet terhadap Kadar Gula Darah Pasien Diabetes Melitus', *Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat*, 2(7), pp. 1–12. Available at: <http://ojs.uho.ac.id/index.php/JIMKESMAS/article/view/3414>.
- Setiadi (2013) *Konsep dan Praktik Penulisan Riset Keperawatan*. 2nd edn. Yogyakarta: Graha Ilmu.
- Shigaki, C. *et al.* (2010) 'Motivation and Diabetes Self-Management', *Chronic Illness*, 6(3), pp. 202–214. doi: 10.1177/1742395310375630.
- Sousa, V. D. *et al.* (2005) 'Relationships Among Self-Care Agency, Self-Efficacy, Self-Care, and Glycemic Control', *Research and Theory for Nursing Practice*, 19(3), pp. 217–230. doi: 10.1891/rtnp.2005.19.3.217.
- Stefanov, T. S. *et al.* (2011) 'Relationship of Physical Activity and Eating Behaviour with Obesity and Type 2 Diabetes Mellitus', *Folia Medica 2011*, 53(1), pp. 11–18. doi: 10.2478/v10153-010-0022-1.
- Su, J. *et al.* (2018) 'HbA1c variability and diabetic peripheral neuropathy in type 2 diabetic patients', *Cardiovascular Diabetology*. BioMed Central, 17(47), pp. 1–9. doi: 10.1186/s12933-018-0693-0.
- Subekti, I. (2009) 'Neuropati Diabetik', in Sudoyo, A. W. *et al.* (eds) *Ilmu Penyakit Dalam*. 3rd edn. Jakarta: Pusat Penerbitan Departemen Penyakit Dalam, pp. 1947–1951.
- Sudargo, T. *et al.* (2017) 'The Relationship between Fried Food Consumption and Physical Activity with Diabetes Mellitus in Yogyakarta, Indonesia', *International Journal of Community Medicine and Public Health*, 4(1), pp. 38–44. doi: <http://dx.doi.org/10.18203/2394-6040.ijcmph20164709>.
- Sugiyatri, Meikawati, W. and Salawati, T. (2011) 'Hubungan Ketaatan Diet dan Kebiasaan Olahraga dengan Kadar Gula Darah pada Pasien Diabetes Melitus yang Berobat di Puskesmas Ngembal Kulon Kabupaten Kudus', *Jurnal Kesehatan Masyarakat Indonesia*, 7(1), pp. 51–58. Available at: <http://id.portalgaruda.org/?ref=browse&mod=viewarticle&article=4711>.

- Sugiyono (2014) *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung: Alfabeta.
- Suharjo, J. B. and Cahyono, B. (2011) *Meraih Kekuatan Penyembuhan Diri yang Tak Terbatas*. Jakarta: PT Gramedia Pustaka Utama.
- Suri, M. H., Haddani, H. and Sinulingga, S. (2015) 'Hubungan Karakteristik, Hiperglikemi, dan Kerusakan Saraf Pasien Neuropati Diabetik', *Jurnal Kedokteran dan Kesehatan*, 2(3), pp. 305–310. Available at: <https://www.google.co.id/#q=hubungan+karakteristik+pada+pasien+neuropati>.
- Suyanto (2017) 'Gambaran Karakteristik Penderita Neuropati Perifer Diabetik', *Jurnal Keperawatan dan Pemikiran Ilmiah*, 3(1), pp. 1–6.
- Tandra, H. (2017) *Segala Sesuatu yang Harus Anda Ketahui Tentang Diabetes*. 2nd edn. Jakarta: PT Gramedia Pustaka Utama.
- Tesfaye, S. *et al.* (1996) 'Prevalence of Diabetic Peripheral Neuropathy and Its Relation to Glycaemic Control and Potential Risk Factors: The EURODIAB IDDM Complications Study', *Diabetologia*, 39, pp. 1377–1384. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/8933008>.
- Tesfaye, S. *et al.* (2005) 'Vascular Risk Factors and Diabetic Neuropathy', *The New England Journal of Medicine*, pp. 341–350. doi: 10.1056/NEJMoa032782.
- Tesfaye, S. and Selvarajah, D. (2012) 'Advances in the Epidemiology, Pathogenesis and Management of Diabetic Peripheral Neuropathy', *Diabetes/Metabolism Research and Review*, 28(Suppl 1), pp. 8–14. doi: 10.1002/dmrr.
- Toobert, D. J., Hampson, S. E. and Glasgow, R. E. (2000) 'The Summary of Diabetes Self-Care Activities Measure', *Diabetes Care*, 23(7), pp. 943–950. doi: 10.2337/diacare.23.7.943.
- U.S. Department of Health and Human Services (2014) 'Peripheral Neuropathy', *NIH Publication*.
- Umpierre, D., Ribeiro, P.A.B., Kramer, C.K., Leitao, C.B., Zucatti, A.T.N., Azavedo, M.J., & Schaan, B. D. (2011) 'Physical Activity only or Structured Exercise Training and Association with HbA1C Levels in Type 2 Diabetes: A Systematic Review and Meta-Analysis', *American Medical Association*, 305(17), pp. 1790–1799. doi: 10.1001/jama.2011.576.
- Vincent, A. M. *et al.* (2004) 'Oxidative Stress in the Pathogenesis of Diabetic Neuropathy', 25(4), pp. 612–628. doi: 10.1210/er.2003-0019.

- Wang, D. D. *et al.* (2014) 'Prevalence and Correlates of Diabetic Peripheral Neuropathy in a Saudi Arabic Population : A Cross-Sectional Study', *PLOS One*, 9(9), pp. 1–9. doi: 10.1371/journal.pone.0106935.
- Wasis (2008) *Pedoman Riset Praktis untuk Profesi Perawat*. Jakarta: EGC.
- Waspadji, S. (2009) 'Kaki Diabetes', in Sudoyo, A. W. *et al.* (eds) *Ilmu Penyakit Dalam*. 3rd edn. Jakarta: Pusat Penerbitan Departemen Penyakit Dalam, pp. 1947–1951.
- Weiler, D. M. and Janice, D. C. (2007) 'Diabetes Self Management in the Migrant Latino Population', *Hispanic Health Care International*, 5(1), pp. 27–33. doi: 10.1891/ 154041507780851941.
- WHO (2016) *Global Report On Diabetes*. doi: 10.1002/nur.20293.
- Yasa, I. D. P. G. P. and Rahayu, V. E. S. (2016) 'Diabetes Self Care Management pada Pasien Diabetes Melitus Tipe 2', 9(1), pp. 14–21.