

DAFTAR PUSTAKA

- Aboyans, V. *et al.* (2012) 'Measurement and interpretation of the Ankle-Brachial Index: A scientific statement from the American Heart Association', *Circulation*, 126(24), pp. 2890–2909. doi: 10.1161/CIR.0b013e318276fbcf.
- ADA (2019) *Standards Of Medical Care In Diabetes-2019*. Edited by M. C. Riddle. USA: American Diabetes Association. doi: doi.org/10.2337/dc19-SINT01.
- Adillo, A. H. *et al.* (2017) 'The accuracy of an oscillometric ankle- - brachial index in the diagnosis of lower limb peripheral arterial disease : A systematic review and meta- - analysis', *The International Of Clinical Practice*, (July), pp. 1–14. doi: 10.1111/ijcp.12994.
- Aerden, D. *et al.* (2011) 'The Ankle – Brachial Index and the Diabetic Foot : A Troublesome Marriage', *Annals of Vascular Surgery*, (1). doi: <https://doi.org/10.1016/j.avsg.2010.12.025>.
- Agency for Healthcare Research and Quality U.S. Department of Health and Human Services (2018) *Screening for Peripheral Artery Disease Using the Ankle-Brachial Index : An Updated Systematic Review for the U.S. Preventive Services Task Force, AHRQ Publication*. Available at: www.ahrq.gov.
- Asad, A. *et al.* (2010) 'Reliability of the neurological scores for assessment of sensorimotor neuropathy in type 2 diabetics', *J Pak Med Assoc*, 60(3), pp. 166–170.
- Balitbang Kemenkes RI (2018) *Hasil Utama Riset Kesehatan Dasar 2018*. Jakarta.
- Barrett, K. E. *et al.* (2010) *Ganong's Review of Medical Physiology*. 23rd edn. United States of America: Mc Graw Hill Medical.
- British Columbia Provincial Nursing Skin and Wound Care Committee (2013) 'Procedure Screening Ankle Brachial Index (ABI) in Adults', in. British Columbia: British Columbia Provincial Nursing Skin and Wound Care Committee, pp. 1–8.
- Chandrashekar, S. and Kalaivani, V. (2018) 'Peripheral Arterial Diseases in Type 2 Diabetes Mellitus : A Cross-sectional Study Using Ankle-Brachial Index', *International Journal of Anatomy, Radiology and Surgery*, 7(1), pp. 5–8. doi: 10.7860/IJARS/2018/31618.
- Chevtchouk, L., Silva, M. H. S. da and Nascimento, O. J. M. do (2017) 'Ankle-brachial index and diabetic neuropathy: study of 225 patients', *Arq Neuropsiquiatr*, 75(8), pp. 533–538. doi: <https://doi.org/10.1590/0004-282X20170084>.
- Chongthawonsatid, S. and Dutsadeevettakul, S. (2017) 'Validity and reliability of

the ankle-brachial index by oscillometric blood pressure and automated ankle-brachial index', *Journal of research in medical sciences*.

Cristanti (2017) *Kepatuhan Diet dan Minum Obat dengan Kejadian Neuropati pada Diabetes Melitus tipe 2*. Universitas Muhammadiyah Yogyakarta.

Davies, M. *et al.* (2006) 'The prevalence, Severity, and Impact of Painful Diabetic Peripheral Neuropathy in type 2 Diabetes', *Diabetes Care*, 29(7), pp. 1518–1522. doi: 10.2337/dc05-2228.

Dinas Kesehatan Kabupaten Klungkung (2018) *Laporan Kasus Diabetes Melitus Kabupaten Klungkung Tahun 2017-2018*. Klungkung.

Dinas Kesehatan Provinsi Bali (2017) *Masalah dan Prioritas Program Kesehatan Provinsi Bali*. Denpasar.

Edelman, S. V. and Polonsky, W. H. (2017) 'Type 2 Diabetes in the Real World : The Elusive Nature of Glycemic Control', *Diabetes Care*, 40(November), pp. 1425–1432. doi: 10.2337/dc16-1974.

Eko Suprpto (2018) *Hubungan Antara Nilai HbA1c dengan Nilai Ankle Brachial Index (ABI) pada Pasien Ulkus Diabetik di RSUD Dr. Moewardi*. Universitas Muhammadiyah Surakarta.

Fata, U. H. (2017) 'Overview Of Ankle Brachial Index (ABI) Values On Diabetes Mellitus Type 2 In Blitar', *Jurnal Ners dan Kebidanan*, 4(3), pp. 254–259. doi: 10.26699/jnk.v4i3.ART.

Ghavami, H. *et al.* (2018) 'Effect of lifestyle interventions on diabetic peripheral neuropathy in patients with type 2 diabetes , result of a randomized clinical trial', *Turkish Society of Algology*, 30(4), pp. 165–170. doi: 10.5505/agri.2018.45477.

Guyton, A. C. and Hall, J. E. (2006) *Textbook of Medical Physiology*. 11th edn. Mississippi: Elsevier Saunders.

Hutagalung *et al.* (2017) 'Correlation Of Coagulation Status And Ankle Brachial Index (ABI) In Diabetes Mellitus Patients With Peripheral Arterial Disease', *Indonesian Journal Of Clinical Pathology and Medical Laboratory*, 23(2), pp. 157–161. Available at: www.indonesianjournalofclinicalpathology.or.id.

IDF (2017) *IDF Diabetes Atlas*. 8th edn. Edited by S. Karuranga *et al.* International Diabetes Federation. Available at: www.diabetesatlas.org.

Katulanda, P. *et al.* (2012) 'The prevalence , patterns and predictors of diabetic peripheral neuropathy in a developing country', *Diabetology and Metabolic Syndrome*, 4(21), pp. 1–8. Available at: <http://www.dmsjournal.com/content/4/1/21>.

- Kehal, J. K. and Neha, S. (2013) 'Pathogenesis of Diabetic Neuropathy', *International Journal of Pharma Professional Research*, 4(1), pp. 715–734.
- Khawaja, N. *et al.* (2018) 'The prevalence and risk factors of peripheral neuropathy among patients with type 2 diabetes mellitus; the case of Jordan', *Diabetology & Metabolic Syndrome*. BioMed Central, 10(8), pp. 1–10. doi: 10.1186/s13098-018-0309-6.
- Kumar, A. *et al.* (2018) 'Prevalence of peripheral arterial disease & associated risk factors among type 2 diabetes mellitus patients attending diabetic health camp', *International Journal of Medicine Research*, 3(2), pp. 90–92. Available at: www.medicinesjournal.com.
- Kurniawan, S. N. (2012) 'Patofisiologi Biomolekular Neuropati Diabetes', *Majalah Kedokteran Neuro*, 29(4), pp. 66–75.
- Levterova, B. *et al.* (2018) 'Prevalence and Impact Of Peripheral Neuropathy On Quality Of Life In Patients With Diabetes Mellitus Pilot Study', *Trakia Journal of Sciences*, 16(1), pp. 71–76. doi: 10.15547/tjs.2018.s.01.015.
- Ma, J. *et al.* (2017) 'The Validity and Reliability between Automated Oscillometric Measurement of Ankle-Brachial Index and Standard Measurement by Eco-Doppler in Diabetic Patients with or without Diabetic Foot', *International Journal of Endocrinology*. Hindawi, 2017, pp. 1–6. doi: 10.1155/2017/2383651.
- Masturoh, I. and Anggita, N. (2018) *Bahan Ajar Rekam Medis Dan Informasi Kesehatan (RMIK)*. 2018th edn, *Kemenkes RI*. 2018th edn. Edited by Pusat Pendidikan Sumber Daya Manusia BPPSDM. Jakarta: Kemenkes RI.
- Mcdermott, M. M. and Criqui, M. H. (2018) 'Ankle-Brachial Index Screening and Improving Peripheral Artery Disease Detection and Outcomes', *Journal American Medical Association*. Edited by American Medical Association. American Medical Association, 10(July), pp. 143–145. doi: 10.1161/01.STR.
- Meijer, J. W. G. *et al.* (2002) 'Symptom scoring systems to diagnose distal polyneuropathy in diabetes', *Diabetic Medicine*, 19, pp. 962–965.
- Meijer, J. W. G. *et al.* (2003) 'Clinical Diagnosis of Diabetic Polyneuropathy With the Diabetic Neuropathy Symptom and Diabetic Examination Scores', *Diabetes Care*, 26(3), pp. 697–701.
- Mustafa, I. (2016) *Determinan Epidemiologis Kejadian Ulkus Kaki Diabetik Pada Penderita Diabetes Mellitus Di RSUD Dr. Chasan Boesoire Dan Diabetes Center Ternate*. Universitas Airlangga.
- Naqvi, I. H. *et al.* (2018) 'Peripheral Neuropathy and Vasculopathy; Frequency and

- Associated Risk Factors in Newly Diagnosed Treatment Naive Type 2 Diabetes’, *Open Journal of Endocrine and Metabolic Diseases*, 08(05), pp. 125–136. doi: 10.4236/ojemd.2018.85013.
- Nursalam (2017) *Metodologi Penelitian Ilmu Keperawatan*. 4th edn. Jakarta: Salemba Medika.
- Potier, L. *et al.* (2011) ‘Use and Utility of Ankle Brachial Index in Patients with Diabetes’, *European Journal of Vascular & Endovascular Surgery*. Elsevier Ltd, 41(1), pp. 110–116. doi: 10.1016/j.ejvs.2010.09.020.
- Putra, S. R. (2012) *Panduan Riset Keperawatan dan Penulisan Ilmiah*. 1st edn. Edited by Rusdianto. Jogjakarta: D-Medika.
- RACGP (2016) *General Practice Management of Type 2 Diabetes 2016-18*. Edited by G. Deed and Evan Ackermann. Melbourne: Diabetes Australia. Available at: <http://researchonline.jcu.edu.au/35380/>.
- Rahmaningsih, B. Y. (2016) *Hubungan antara Nilai Ankle Brachial Index Dengan Kejadian Diabetic Foot Ulcer Pada Penderita Diabetes mellitus Tipe 2 di RSUD DR Moewardi Surakarta*. Universitas Muhammadiyah Surakarta.
- Rahmawati, A. and Hargono, A. (2018) ‘Faktor Dominan Neuropati Diabetik Pada Pasien Diabetes Melitus Tipe 2’, *Jurnal Berkala Epidemiologi*, 6(1), pp. 60–68. doi: 10.20473/jbe.v6i12018.60-68.
- Santosa, A. and Listiono, D. (2017) ‘Prediksi Score Ankle Brachial Index (ABI) Ditinjau Dari Tanda Gejala Peripheral Arterial Disease (PAD)’, *MEDISAINS: Jurnal Ilmiah Ilmu-ilmu Kesehatan*, 15(2), pp. 118–128. Available at: <http://jurnalnasional.ump.ac.id/index.php/medisains/article/view/1649>.
- Setiadi (2013) *Konsep dan Praktik Penulisan Riset Keperawatan*. 2nd edn. Yogyakarta: Graha Ilmu.
- Soelistijo, S. A. *et al.* (2015) *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. 5th edn. Jakarta: PB Perkeni. doi: 10.1017/CBO9781107415324.004.
- Stanford Medicine (2018) *Measuring and Understanding the Ankle Brachial Index (ABI)*. Available at: <https://stanfordmedic25.stanford.edu/the25/ankle.html> (Accessed: 30 November 2018).
- Suastika, K. *et al.* (2017) *Bali Endocrine Update XIV*. Edited by S.-K. Prof. Dr. dr. Ketut Suastika *et al.* Denpasar: PT. Percetakan Bali, Jl. Gajah Mada I/1 Denpasar 80112,.
- Subekti, I. (2009) ‘Neuropati Diabetik’, in Sudoyo, A. W. *et al.* (eds) *Ilmu Penyakit*

- Dalam*. 5th edn. Jakarta: Interna Publishing, pp. 1947–1951.
- Supardi, S. and Rustika (2013) *Metodologi Riset Keperawatan*. 1st edn. Edited by T. Ismail. Jakarta: CV. Trans Info Media.
- Syahputra, G. (2018) ‘Etika dalam Penelitian Biomedis dan Uji Klinis’, *Bio Trends*, 9(1), pp. 7–15.
- U.S. Departement Of Health And Human Services (2014) ‘Peripheral Neuropathy’.
- UPT Puskesmas Klungkung I (2018) *Profil Kesehatan UPT. Puskesmas Klungkung I 2018*. Klungkung.
- Verma, M. *et al.* (2018) ‘Role of Ankle Brachial Index (ABI) in Management of Non-Healing Ulcers of Lower Limb’, *Journal of Universal Surgery*, 06(01), pp. 1–5. doi: 10.21767/2254-6758.100096.
- WHO (2016) *Global Report on Diabetes*, World Health Organization. Geneva Switzerland. doi: 10.1128/AAC.03728-14.
- Xu, D. *et al.* (2010) ‘Sensitivity and specificity of the ankle – brachial index to diagnose peripheral artery disease’, *Vascular Medicine*, 5(15), pp. 362–369. doi: 10.1177/1358863X10378376.

