

ABSTAK

PEMETAAN KEJADIAN DIARE DI LINGKUNGAN WILAYAH KERJA UNIT PELAYANAN TERPADU KESEHATAN MASYARAKAT GIANYAR II TAHUN 2018

Diare merupakan penyakit umum yang masih menjadi masalah kesehatan utama pada anak terutama pada balita di berbagai negara-negara terutama di Negara berkembang. Penyakit diare masih cukup tinggi ditemukan di Kabupaten Gianyar. Diare masuk dalam sepuluh penyakit terbanyak dan dari tahun ke tahun jumlah kasus cenderung meningkat di UPT Kesmas Gianyar II. Tujuan penelitian ini adalah untuk mengetahui usia, jenis kelamin dan tempat tinggal pasien yang mengalami penyakit diare. Penelitian ini merupakan penelitian kuantitatif deskriptif. Sajian data kuantitatif sebagai hasil analisis kuantitatif diolah dalam bentuk grafik. Berdasarkan hasil penelitian diperoleh hasil yaitu jika dikelompokkan berdasarkan usia, pasien yang paling banyak memiliki usia 20 tahun keatas, berdasarkan jenis kelamin didominasi oleh pasien dengan jenis kelamin laki-laki, sedangkan daerah dengan penduduk yang mengalami penyakit diare paling tinggi yakni Desa Siangan dan Kelurahan Bitera dengan rata-rata 13,25 kasus diare perbulan.

Kata kunci : *Diare, penelitian kuantitatif deskriptif, usia, jenis kelamin, tempat tinggal*

ABSTRACT

MAPPING OF DIARE EVENTS IN THE ENVIRONMENT WORKING TERMS OF UPT KESMAS GIANYAR II YEAR 2018

Diarrhea is a common disease that is still a major health problem in children, especially in toddlers in various countries, especially in developing countries. Diarrhea is still high enough to be found in Gianyar Regency. Diarrhea is included in the top ten diseases and from year to year the number of cases tends to increase in UPT Kesmas Gianyar II. The purpose of this study was to determine the age, sex and residence of patients with diarrheal disease. This research is a descriptive quantitative research. Quantitative data as a result of quantitative analysis is processed in graphical form. Based on the result of the research, the result is that if grouped by age, most patients have age 20 years and above, based on sex is dominated by patient with male gender, while area with the highest diarrhea is Siangan and Bitera Village with an average of 13.25 cases of diarrhea per month.

Keywords : *Diarrhea, descriptive quantitative research, age, sex, residence*

