

DAFTAR PUSTAKA

- Bhattacharya, A., & Mahajan, R. L. (2003). Temperature dependence of thermal conductivity of biological tissues. *Physiological Measurement*, 24(3), 769–783. <https://doi.org/10.1088/0967-3334/24/3/312>
- Chintamani, E. (2008). *Moroney' Surgery For Nurses* (17th ed.). Elsevier.
- Chung, S. H., Lee, B. S., Yang, H. J., Kweon, K. S., Kim, H. H., Song, J., & Shin, D. W. (2012). Effect of preoperative warming during cesarean section under spinal anesthesia. *Korean Journal of Anesthesiology*, 62(5), 454–460. <https://doi.org/10.4097/kjae.2012.62.5.454>
- Darmojo, B., & Martono, H. (2009). *Geriatrici: Ilmu Kesehatan Lanjut Usia Edisi ke-4* (4th ed.). Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.
- Dinarti, Aryani, R., Nurhaeni, H., & Chairani, R. (2013). *Dokumentasi Keperawatan* (Jusirm@n (ed.); kedua).
- Harahap, A. M., Kadarsah, R. K., & Oktaliansah, E. (2014). Angka Kejadian Hipotermia dan Lama Perawatan di Ruang Pemulihan pada Pasien Geriatrici Pascaoperasi Elektif Bulan Oktober 2011–Maret 2012 di Rumah Sakit Dr. Hasan Sadikin Bandung. *Anastesi Perioperatif*, 2(1), 36–44. <https://doi.org/https://doi.org/10.15851/jap.v2n1.236>
- Hasankhani, H., Mohammadi, E., Moazzami, F., Mokhtari, M., & Naghgizadh, M. M. (2007). The effects of intravenous fluids temperature on perioperative hemodynamic situation, post-operative shivering, and recovery in orthopaedic surgery. *Canadian Operating Room Nursing Journal*, 25(1), 20-24,26-27.
- Kim, D. (2019). Postoperative hypothermia. *Acute and Critical Care*, 34(1), 79–80. <https://doi.org/10.4266/acc.2018.00395>
- Mansjoer, A. (2004). *Kapita Selekta Kedokteran Jilid 2* (2nd ed.). Media Aesculapius.

- Maulana, Putradana, & Bratasena. (2018). Perbedaan Efektifitas Terapi Cairan Hangat dan Selimut Penghangat terhadap Perubahan Suhu Tubuh pada Pasien Pasca Operasi di Ruang Pulih Instalasi Bedah RSI Yatofa. *Prima*, 4(1), 96–102.
- McIntosh, A., Hutchinson, A., Roberts, A., & Withers, H. (2000). Evidence-based management of groin hernia in primary care-a systematic review. *Family Practice*, 17(5), 442–447. <https://doi.org/10.1093/fampra/17.5.442>
- Minarsih, R. (2013). Efektifitas pemberian elemen penghangat cairan intravena dalam menurunkan gejala hipotermi pasca bedah. *Jurnal Keperawatan*, 4(1), 36–42.
- Muttaqin, A., & Sari, K. (2011). *Gangguan Gastrointestinal*. Salemba Medika.
- Nasiri, A., Akbari, A., Sharifzade, G., & Derakhshan, P. (2015). The effects of warmed intravenous fluids, combined warming (warmed intravenous fluids with humid-warm oxygen), and pethidine on the severity of shivering in general anesthesia patients in the recovery room. *Iranian Journal of Nursing and Midwifery Research*, 20(6), 712–716. <https://doi.org/https://doi.org/10.4103/1735-9066.170014>
- Natadidjaja, H. (2002). *Kapita Selekta Kedokteran Jilid 2* (2nd ed.). Binarupa Aksara.
- Nayoko. (2016). Perbandingan Efektifitas Pemberian Cairan Infus Hangat Terhadap Kejadian Menggigil Pada Pasien Sectio Caesaria Di Kamar Operasi. *Keperawatan Muhammadiyah*, 1(1), 86–92.
- Nurarif, A. H., & Kusuma, H. (2016). *Asuhan Keperawatan Praktis Berdasarkan Penerapan Diagnosa Nanda, Nic, Noc dalam Berbagai Kasus*. Penerbit Mediacion.
- Oshvandi, K., Shiri, F. H., Fazel, M. R., Services, H., & Safari, M. R. (2014). *The effect of pre-warmed intravenous fluids on prevention of intraoperative hypothermia in Caesarian section. August 2017*.
- Potter, P. A., & Perry, A. . (2006). *Buku Ajar Fundamental Keperawatan* (4 Vol. 2). EGC.

- PPNI. (2017). *Standar Diagnosis Keperawatan Indonesia Definisi dan Indikator Diagnostik*. DPP Persatuan Perawat Nasional Indonesia.
- PPNI. (2018a). *Standar Intervensi Keperawatan Indonesia Definisi dan Tindakan Keperawatan*. DPP Persatuan Perawat Nasional Indonesia.
- PPNI. (2018b). *Standar Luaran Keperawatan Indonesia Definisi dan Kriteria Hasil Keperawatan*. DPP Persatuan Perawat Nasional Indonesia.
- Putzu, M., Casati, A., Berti, M., Pagliarini, G., & Fanelli, G. (2007). Clinical complications, monitoring and management of perioperative mild hypothermia: anesthesiological features. *Acta Bio-Medica: Atenei Parmensis*, 78(3), 163–169.
- Schwartz. (2000). *Intisari Prinsip-Prinsip Ilmu Bedah*. EGC.
- Sessler, D. I. (2002). Perioperative Shivering: Physiology and Pharmacology. *Federation Proceedings*, 96(2), 467–484. <https://doi.org/10.1201/9781351077811-20>
- Setiati, S., Harimurti, K., & R.A.G. (2008). *Proses Menua dan Implikasi Kliniknya*. Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.
- Sjamsuhidajat, R. (2011). *Buku Ajar Ilmu Bedah*. EGC.
- Smeltzer, S. C., & Bare, B. G. (2002). *Buku Ajar Keperawatan Medikal-Bedah* (8th ed.). EGC.
- Sukarja, I. M., Merta, I. M., & Ariani, N. P. W. (2013). Penggunaan Elemen Penghangat Cairan Intra Vena Dengan Lampu Penghangat Terhadap Shivering. *Keperawatan*, 6(1), 43–46.
- Tarwoto, & Wartonah. (2015). *Kebutuhan Dasar Manusia dan Proses Keperawatan Edisi 5* (Salemba Medika (ed.); 5th ed.). Salemba Medika.

Wirryana, M., Sinardja, Ik., Budiarta, Ig., Agung Senapathi, T., Widnyana, M., Aryabiantara, Iw., Gede Utara Hartawan, Ig. A., Parami, P., Wijaya, A., & Pradhana, A. (2017). Effectiveness of infusion warmer use to prevent hypothermia and shivering after general anesthesia. *Bali Journal of Anesthesiology*, *1*(1), 10. <https://doi.org/10.15562/bjoa.v1i1.3>

World Health Organisation. (2017). *World Health Statistics 2017: Monitoring Health for The SDGs, Sustainable Development Goals*. World Health Organization.

Zaman, S. S., Rahmani, F., Majedi, M. A., Roshani, D., & Valiee, S. (2018). A Clinical Trial of the Effect of Warm Intravenous Fluids on Core Temperature and Shivering in Patients Undergoing Abdominal Surgery. *Journal of Perianesthesia Nursing*, *33*(5), 616–625. <https://doi.org/10.1016/j.jopan.2016.12.010>