

DAFTAR PUSTAKA

- Adamescu, A.I. (2025) "Decoding Inflammation: The Role of Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio in Predicting Critical Outcomes in COVID-19 Patients," *Medicina (Lithuania)*, 61(4). Tersedia pada: <https://doi.org/10.3390/medicina61040634>.
- Almulhim, A.S. (2024) "Evaluation of Serial Procalcitonin Levels for the Optimization of Antibiotic Use in Non-Critically Ill COVID-19 Patients," *Pharmaceuticals*, 17(5). Tersedia pada: <https://doi.org/10.3390/ph17050624>.
- Barbara J. Bain, I.B.M.A.L. (2020) "Dacie and Lewis Practical Haematology." Tersedia pada: <https://books.google.com/cu/books?id=rEPUDAAAQBAJ&printsec=frontcover#v=onepage&q&f=false> (Diakses: 9 Februari 2026).
- Buonacera, A. (2022) "Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases," *International Journal of Molecular Sciences*. MDPI. Tersedia pada: <https://doi.org/10.3390/ijms23073636>.
- Chen, L., Zhang, X. dan Shi, P. (2025) "Recent advances in biomarkers for detection and diagnosis of sepsis and organ dysfunction: a comprehensive review," *European Journal of Medical Research*, 30(1). Tersedia pada: <https://doi.org/10.1186/s40001-025-03324-6>.
- Dewi, J. (2018) "Peran procalcitonin sebagai marker infeksi," *Cermin Dunia Kedokteran*, vol. 45, no. 7, pp. 550-551.
- Drăgoescu, A.N. (2022) "Neutrophil to Lymphocyte Ratio (NLR)—A Useful Tool for the Prognosis of Sepsis in the ICU," *Biomedicines*, 10(1). Tersedia pada: <https://doi.org/10.3390/biomedicines10010075>.
- Dyck, B. (2024) "The Impact of Pathogens on Sepsis Prevalence and Outcome," *Pathogens*. Multidisciplinary Digital Publishing Institute (MDPI). Tersedia pada: <https://doi.org/10.3390/pathogens13010089>.
- Elisabet, M. (2018) "Hubungan Neutrophil to Lymphocyte Ratio dengan Kadar Procalcitonin pada Pasien Sepsis," *Hubungan Neutrophil to Lymphocyte Ratio dengan Kadar Procalcitonin pada Pasien Sepsis* [Preprint].
- Evans, L. (2021) "Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021," *Intensive Care Medicine*, 47(11), hlm. 1181–1247. Tersedia pada: <https://doi.org/10.1007/s00134-021-06506-y>.

- Fol, M. (2024) "Innate Lymphoid Cells and Their Role in the Immune Response to Infections," *Cells*. Multidisciplinary Digital Publishing Institute (MDPI). Tersedia pada: <https://doi.org/10.3390/cells13040335>.
- Gao, Z. (2025) "Association between neutrophil to lymphocyte ratio and the mortality of patients with sepsis: an update systematic review and meta-analysis," *Frontiers in Medicine*. Frontiers Media SA. Tersedia pada: <https://doi.org/10.3389/fmed.2025.1637365>.
- Ghatak, T. (2025) "The Diagnostic Accuracy of Serum Procalcitonin for Sepsis in Adult Patients in the Emergency Department: A Systematic Review and Meta-Analysis," *CHEST Critical Care*, 3(4). Tersedia pada: <https://doi.org/10.1016/j.chstcc.2025.100179>.
- Grondman, I. (2020) "Biomarkers of inflammation and the etiology of sepsis," *Biochemical Society Transactions*. Portland Press Ltd, hlm. 1–14. Tersedia pada: <https://doi.org/10.1042/BST20190029>.
- Hotchkiss, R.S. (2016) "Sepsis and septic shock," *Nature Reviews Disease Primers*. Nature Publishing Group. Tersedia pada: <https://doi.org/10.1038/nrdp.2016.45>.
- Huang, J. (2024) "Progress in Procalcitonin Detection Based on Immunoassay," *Research*, 7. Tersedia pada: <https://doi.org/10.34133/research.0345>.
- Hwang, S.Y. (2017) "Neutrophil-to-lymphocyte ratio as a prognostic marker in critically-ill septic patients," *The American Journal of Emergency Medicine*, 35(2), hlm. 234–239. Tersedia pada: <https://doi.org/10.1016/j.ajem.2016.10.055>.
- Jain, H., Sharma, C. dan Haria, J.M. (2025) "Prognostic Role Of Neutrophil-To-Lymphocyte Ratio In Sepsis," *International Journal of Academic Medicine and Pharmacy* [Preprint]. Tersedia pada: <https://doi.org/10.47009/jamp.2025.7.3.27>.
- Jarczак, D., Kluge, S. dan Nierhaus, A. (2021) "Sepsis—Pathophysiology and Therapeutic Concepts," *Frontiers in Medicine*. Frontiers Media S.A. Tersedia pada: <https://doi.org/10.3389/fmed.2021.628302>.
- Jayara, A. (2024) "Comparison of Trends of Procalcitonin and Neutrophil to Lymphocyte Ratio in Patients of Sepsis in Intensive Care Unit," *Indian Journal of Critical Care Medicine*, 28(10), hlm. 942–951. Tersedia pada: <https://doi.org/10.5005/jp-journals-10071-24804>.
- Jonathan, J., Putu Kurniyanta, I. dan Agus Heryana, K. (2018) "Gambaran Karakteristik Penderita Syok Septik Di Ruang Terapi Intensif Rumah Sakit Umum Pusat (RSUP) Sanglah Denpasar Periode Oktober 2017-Oktobre 2018." Tersedia pada: <https://doi.org/10.24843.MU.2020.V9.i10.P14>.

- Kamat, I.S. (2020) "Procalcitonin to distinguish viral from bacterial pneumonia: A systematic review and meta-analysis," *Clinical Infectious Diseases*. Oxford University Press, hlm. 538–542. Tersedia pada: <https://doi.org/10.1093/cid/ciz545>.
- Kaufman, M.R., Eschliman, E.L. dan Karver, T.S. (2023) "Differentiating sex and gender in health research to achieve gender equity," *Bulletin of the World Health Organization*, 101(10), hlm. 666–671. Tersedia pada: <https://doi.org/10.2471/BLT.22.289310>.
- De La Rica, A.S., Gilsanz, F. dan Maseda, E. (2016) "Epidemiologic trends of sepsis in western countries," *Annals of Translational Medicine*. AME Publishing Company. Tersedia pada: <https://doi.org/10.21037/atm.2016.08.59>.
- Liao, J. (2025) "Direct and indirect associations of stress hyperglycemia with delirium in older adults with community-acquired pneumonia: limited mediation by neutrophil-lymphocyte ratio and procalcitonin," *BMC Geriatrics*, 25(1). Tersedia pada: <https://doi.org/10.1186/s12877-025-06410-w>.
- Lippi, G. dan Plebani, M. (2020) "Procalcitonin in patients with severe coronavirus disease 2019 (COVID-19): A meta-analysis," *Clinica Chimica Acta*. Elsevier B.V., hlm. 190–191. Tersedia pada: <https://doi.org/10.1016/j.cca.2020.03.004>.
- Liu, X. (2016) "Prognostic Significance of Neutrophil-to-Lymphocyte Ratio in Patients with Sepsis: A Prospective Observational Study," *Mediators of Inflammation*, 2016. Tersedia pada: <https://doi.org/10.1155/2016/8191254>.
- Ljungström, L. (2017) "Diagnostic accuracy of procalcitonin, neutrophil-lymphocyte count ratio, C-reactive protein, and lactate in patients with suspected bacterial sepsis," *PLoS ONE*, 12(7). Tersedia pada: <https://doi.org/10.1371/journal.pone.0181704>.
- Min, S.Y., Yong, H.J. dan Kim, D. (2024) "Sex or gender differences in treatment outcomes of sepsis and septic shock," *Acute and Critical Care*. Korean Society of Critical Care Medicine, hlm. 207–213. Tersedia pada: <https://doi.org/10.4266/acc.2024.00591>.
- Mućka, S., Jakubiak, G.K. dan Pawlas, N. (2025) "Procalcitonin: Infection or Maybe Something More? Noninfectious Causes of Increased Serum Procalcitonin Concentration: Updated Knowledge," *Life*. Multidisciplinary Digital Publishing Institute (MDPI). Tersedia pada: <https://doi.org/10.3390/life15030446>.

- Nikolopoulou, K. (2022) "Inclusion and Exclusion Criteria | Examples & Definition," *Inclusion and Exclusion Criteria | Examples & Definition* [Preprint]. Tersedia pada: <https://www.scribbr.com/methodology/inclusion-exclusion-criteria/> (Diakses: 12 Februari 2026).
- Nurdani, A. (2016) "Korelasi Rasio Neutrofil-Limfosis dengan Kadar Prokalsitonin pada Pasien Sepsis," Universitas Airlangga.
- Pellegrino, R. (2023) "Temporal trends, sex differences, and age-related disease influence in Neutrophil, Lymphocyte count and Neutrophil to Lymphocyte-ratio. Results from InCHIANTI follow-up study." Tersedia pada: <https://doi.org/10.21203/rs.3.rs-3111431/v1>.
- Riaz, B. dan Sohn, S. (2023) "Neutrophils in Inflammatory Diseases: Unraveling the Impact of Their Derived Molecules and Heterogeneity," *Cells*. Multidisciplinary Digital Publishing Institute (MDPI). Tersedia pada: <https://doi.org/10.3390/cells12222621>.
- Rose, N. (2025) "Sex differences in sepsis outcomes across the lifespan: a population-based cohort study in Germany," *Critical Care*, 29(1). Tersedia pada: <https://doi.org/10.1186/s13054-025-05657-4>.
- Rudd, K.E. (2020) "Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study," *The Lancet*, 395(10219), hlm. 200–211. Tersedia pada: [https://doi.org/10.1016/S0140-6736\(19\)32989-7](https://doi.org/10.1016/S0140-6736(19)32989-7).
- Sakr, Y. (2018) "Sepsis in intensive care unit patients: Worldwide data from the intensive care over nations audit," *Open Forum Infectious Diseases*, 5(12). Tersedia pada: <https://doi.org/10.1093/ofid/ofy313>.
- Santika, F.F., Noviani, I. dan Oktavrissa, F. (2024) "Rasio Neutrofil Limfosit Sebagai Prediktor Disfungsi Organ Pada Pasien Sepsis Berdasarkan Diagnosis Qsofa di Ruang Intensive Care Unit Rsud Waled," *Syntax Literate ; Jurnal Ilmiah Indonesia*, 7(9), hlm. 15904–15915. Tersedia pada: <https://doi.org/10.36418/syntax-literate.v7i9.14857>.
- Santoro, A., Bientinesi, E. dan Monti, D. (2021) "Immunosenescence and inflammaging in the aging process: age-related diseases or longevity?," *Ageing Research Reviews*, 71, hlm. 101422. Tersedia pada: <https://doi.org/10.1016/J.ARR.2021.101422>.
- Schuetz, P. (2017) "Procalcitonin to initiate or discontinue antibiotics in acute respiratory tract infections," *Cochrane Database of Systematic Reviews*. John Wiley and Sons Ltd. Tersedia pada: <https://doi.org/10.1002/14651858.CD007498.pub3>.

- Schuetz, P. (2018) "Effect of procalcitonin-guided antibiotic treatment on mortality in acute respiratory infections: a patient level meta-analysis," *The Lancet Infectious Diseases*, 18(1), hlm. 95–107. Tersedia pada: [https://doi.org/10.1016/S1473-3099\(17\)30592-3](https://doi.org/10.1016/S1473-3099(17)30592-3).
- Siddiqui, S. dan Livák, F. (2023) "Principles of Advanced Flow Cytometry: A Practical Guide," *Methods in Molecular Biology*. Humana Press Inc., hlm. 89–114. Tersedia pada: https://doi.org/10.1007/978-1-0716-2740-2_5.
- Silvestre-Roig, C., Hidalgo, A. dan Soehnlein, O. (2016) "Neutrophil heterogeneity: implications for homeostasis and pathogenesis." Tersedia pada: <https://doi.org/10.1182/blood-2016-01>.
- Singer, M. (2016) "The third international consensus definitions for sepsis and septic shock (sepsis-3)," *JAMA - Journal of the American Medical Association*. American Medical Association, hlm. 801–810. Tersedia pada: <https://doi.org/10.1001/jama.2016.0287>.
- Sugiyono. (2016) "*Metode Penelitian Kuantitatif dan Kualitatif*" R&D. Bandung: Alfabeta
- Surya, P. (2018) *Hubungan Antara Dukungan Sosial Dan Self Efficacy Dengan Tingkat Stres Pada Perawat Di Rumah Sakit Umum Pusat Sanglah, Jurnal Psikologi Udayana*.
- Thang, N.V.V. (2025) "Neutrophil-to-lymphocyte-to-albumin ratio as a prognostic marker for mortality in sepsis and septic shock in Vietnam," *Acute and Critical Care*, 40(2), hlm. 244–251. Tersedia pada: <https://doi.org/10.4266/acc.003576>.
- Wang, X. (2024) "The procalcitonin trajectory as an effective tool for identifying sepsis patients at high risk of mortality," *Critical Care*. BioMed Central Ltd. Tersedia pada: <https://doi.org/10.1186/s13054-024-05100-0>.
- Wang, Y., Zhang, H. dan Miao, C. (2025) "Unraveling immunosenescence in sepsis: from cellular mechanisms to therapeutics," *Cell Death and Disease*. Springer Nature. Tersedia pada: <https://doi.org/10.1038/s41419-025-07714-w>.
- Wang, Z. (2024) "Lymphopenia in sepsis: a narrative review," *Critical Care*. BioMed Central Ltd. Tersedia pada: <https://doi.org/10.1186/s13054-024-05099-4>.
- Widodo, S. (2023) "*Buku Ajar Metode Penelitian*," CV Science Techno Direct

World Health Organization, (2020) “*Global report on the epidemiology and burden of sepsis : current evidence, identifying gaps and future directions*,” World Health Organization.

World Health Organization. (2024) “*Guidelines on the Clinical Management of Sepsis*, World Health Organization,” Tersedia pada: <https://www.who.int/news/item/30-01-2024-guidelines-on-the-clinical-management-of-sepsis> (Diakses: 9 Februari 2026).

Wu, H. (2024) “Predictive value of the neutrophil-to-lymphocyte ratio in the prognosis and risk of death for adult sepsis patients: a meta-analysis,” *Frontiers in Immunology*. Frontiers Media SA. Tersedia pada: <https://doi.org/10.3389/fimmu.2024.1336456>.

Zahorec, R. (2021) “Neutrophil-to-lymphocyte ratio, past, present and future perspectives,” *Bratislava Medical Journal*, 122(7), hlm. 474–488. Tersedia pada: https://doi.org/10.4149/BLL_2021_078.

Zaki, H.A. (2024) “Accuracy of procalcitonin for diagnosing sepsis in adult patients admitted to the emergency department: a systematic review and meta-analysis,” *Systematic Reviews*. BioMed Central Ltd. Tersedia pada: <https://doi.org/10.1186/s13643-023-02432-w>.